





PREMIUM ELECTRIC FIRES COLLECTION 2019



WELCOME TO CELSI

At Celsi we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of premium electric fires.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards.

As a result all Celsi heaters carry a 2 year guarantee* to reflect my belief in their quality and durability.

This brochure has been designed to make the purchase of your new Celsi heater as simple as possible. I hope you find it both informative and inspiring.





THERE IS NO MORE VERSATILE FUEL FOR HOME HEATING THAN ELECTRICITY

With a range that includes beautifully crafted fireplace suites, highly chic wall mounted 'hang-on-the-wall' and wall inset fires, as well as classically designed hearth mounted and inset fires and contemporary stoves, there is a Celsi design to suit any home.

Best of all you are free to enjoy any of these fantastic heating appliances in any room in your home simply by plugging into the nearest mains socket.

To learn more about the features and benefits of owning a Celsi electric fire please sit back and take a few moments to look through our Key Features section, along with our technology introduction to Advanced Celsi Electric Fires.



We are confident you are getting a product that is built to last. That's why we offer a 2 Year Guarantee* on all Celsi electric fires

CELSI

...the future of fire

*Only applicable to electric fire engines. Fire Surrounds and Fascias are subject to 12 months guarantee.

ADVANCED FEATURES



Thermostatic Heating

Pre-set your heat comfort level for automatic temperature control via the handset.



Timer Function

Programmable 7-day heating timer function with hourly on/off control. Upto 8 hrs sleep timer facility available on some models.



LED Efficiency

From controllable flame picture and fuel bed brightness, to colour changing mood lighting, our onboard LED's ensure effective energy saving low power consumption.



IsoFlame

Independent flame effect capable of displaying in isolation when no heat is required from the appliance.



Flame Fusion

Captivating Indigo blue flame feature creates a colourful impression by fusing soft and natural yellow flames with an attractive flare of blue flame intensity.



Colour Cycle

Fix your favourite or go dynamic as you cycle through an array of impressive colour changing fuel bed options.



Mood Lights

Designed to enhance your experience with an ambient stream of colour rich soft LED lighting. Select from a choice of colours to compliment both warm and cool home interiors, or simply to suit your mood.



Ecodesign Compliant

Integrated design features for optimal energy saving performance and assurance.

ADVANCED CELSI ELECTRIC FIRE **TECHNOLOGIES**

The Celsi range includes the latest in electric fire technology as well as options to suit all homes and requirements – with glass fronted or open fronted wall and hearth models as well as suites and stoves.

To guide you to make the best choice for your home you can reference these icons as your browse the pages:













Virtual Reality – The Real Alternative.

Electriflame Virtual Reality fires capture the essence of what is perceived to be real when it comes to fire. E-VR is an extraordinarily advanced glass fronted fire effect that provides an eye catching display of colourful lively flames, and naturally detailed logs.



Virtual Reality – Open Fire Experience.

Ultiflame VR fires use innovative technology to create a Virtual flame - real open fire experience through 3-Dimensional visual depth, and realistic flame movements.



Ultra High Technology Experience.

The most convincing real fire effect and one of the quietest electric fires available. Using LCD technology Puraflame® is the only electric fire to give you a choice of three flame pictures plus the astonishing look and sound of a real fire, combined with exceptional functionality.



Extra Dimensional – High Definition Fire.

Improved technology presents a third dimension to the Electriflame XD. This high definition effect, positioned behind glass, captivates and relaxes you with natural fuel bed realism, and colourful atmospheric flame ascension.



Inspired Electric Flame Effect Technologies.

Through illusion and LED light technology beautiful flames emerge to provide a range of distinctive electric fire effects that will bewilder and excite.

CONTENTS





E-VR Orbital Illumia Suite page 7




E-VR Metz	page 8
E-VR Vichy	page 9
E-VR Commodus	nage 10



E-VR Louvre	page 11
E-VR Basilica	page 12

Hearth Inset

E-VR Acero	page 13
E-VR Parrilla	page 14
E-VR Contemporary	page 15



Free-standing MDF Suites

U-VR Orbital Illumia	page 17
U-VR Adour Elite Illumia	page 18
U-VR Vega	page 19
U-VR Adour Illumia	page 20
U-VR Callisto	page 21
U-VR Elara	page 22

Wall Inset Limestone Suites

U-VR Parada Elite Illumia	page 23
U-VR Avignon Elite	page 24
U-VR Lille	page 25
U-VR Avignon	page 26
U-VR Rennes	page 27

Wall Inset

U-VR Elite	page 28
U-VR Vichy	page 29
U-VR Metz	page 30
U-VR Instinct	page 31
U-VR Celena	page 32
U-VR Impulse	page 33

Hearth Inset

U-VR Arcadia	page 34
U-VR Decadence	page 35
U-VR Camber	page 36
U-VR Frontier	page 37
U-VR Essence	page 38
U-VR Designer	page 39
U-VR Endura	page 40
U-VR Contemporary	page 41

PURAFLAME® & PURASTOVE® Page 42-43



Wall Mounted

Puraflame Panoramic page 44 Puraflame Curved page 45



Free-standing Stove

Purastove Glass 2 page 46





Wall Mounted

E-XD Black Glass	page 48
E-XD Piano Black	page 49
E-XD Royal Botticino	page 50
E-XD Prestige	page 51
E-XD Travertine	page 52
E-XD Ivory	page 53
F-XD Curved Black Glass	page 54



Hearth Inset

E-XD Lamela	page 55
E-XD Camber	page 56
E-XD Decadence	page 57
E-XD Essence	page 58
E-XD Arcadia	page 59
E-XD Daisy	page 60
E-XD Caress	page 61
E-XD Royale	page 62
E-XD Bauhaus	page 63



Free-standing Stoves

Electristove XD Metal	page 64
Electristove XD Glass	page 65

FLAMONIK, TOUCHFLAME & ACCENT Page 66





Wall Mounted

Flamonik Rapture	page 67
Flamonik Enchant	page 68
Touchflame	page 69



Hearth Inset

Accent Traditional	page 70
Accent Infusion	nage 71







- High quality Premier board surround
- Glass fronted VR fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Integrated LED surround lights
- Guarantees 2 Year Fire, 1 Year Surround












Specification

•	
Installation Type	Free-standing suite
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Smooth Paint Finishes	White Mist Cream

Dimensions mm









- Real fire alternative
- Glass fronted VR fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features














Specification

Installation Type (H x W x D)	Wall inset into 465mm x 1043mm x 172mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finishes	Satin Silver
Metallic Brushed Steel Fabricated Fascia	Satin Champagne







- Real fire alternative
- Glass fronted VR fire experience
- Customisable fuel bed layout
- crystal embers & realistic logs
- 4 Flame Brightness settingsAdaptive control feature
- Remote & manual control operation














Specification

Installation Type (H x W x D)	Wall inset into 465mm x 1043mm x 172mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finishes	Satin Silver
Metallic Brushed Steel Fabricated Fascia	Satin Champagne





Satin Silver



- Real fire alternative
- Glass fronted VR fire experience
- Customisable fuel bed layout

 crystal embers & realistic logs

 4 Flame Brightness settings
 Adaptive control feature

- Remote & manual control operation

Advanced Features













Specification

Installation Type (H x W x D)	Wall inset into 465mm x 1043mm x 172mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out







- Real fire alternative
- Glass fronted VR fire experience
- Customisable fuel bed layout
- crystal embers & realistic logs
- 4 Flame Brightness settingsAdaptive control feature
- Remote & manual control operation
- Includes wall fixing bracket

Advanced Features















Specification

Installation Type	Wall mounted only
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Dual Finish	
Metallic Brushed Steel Fabricated & Glass Fascia	Satin Silver & Black Glass

Dimensions mm





Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



- Real fire alternative
- Glass fronted VR fire experience
- Customisable fuel bed layout
- crystal embers & realistic logs
 4 Flame Brightness settings
 Adaptive control feature
- Remote & manual control operation
- Wall inset option
- Includes wall fixing bracket












Specification

Installation Type (H x W x D)	Wall inset into 465mm x 1043mm x 85mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finishes	Satin Silver
Metallic Brushed Steel Fabricated Fascia	Satin Champagne





Satin Silver

ELECTRIFLAME VR ACERO



Features

- Aspirational 26 Inch fascia
- Extra wide real fire alternative
- Glass fronted VR fire experience
- Customisable fuel bed layout - crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features


















Chrome & Satin Silver

Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 80mm
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Dual Finishes Twin Metallic Steel Fabricated Fascia	Chrome & Satin Silver







ELECTRIFLAME VR PARILLA



Features

- Extra wide real fire alternative
- Glass fronted VR fire experience
- Customisable fuel bed layout crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features














Satin Silver

Specification

·	
Installation Type	Inset into 560mm x 420mm x 80mm
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes	Satin Silver
Metallic Brushed Steel Fabricated Fascia	Satin Champagne



ELECTRIFLAME VR CONTEMPORARY



Features

- Extra wide real fire alternative
- Glass fronted VR fire experience
- Customisable fuel bed layout - crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features














Satin Champagne


Specification

Installation Type	Inset into 560mm x 420mm x 80mm
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes	Satin Silver
Metallic Brushed Steel Fabricated Fascia	Satin Champagne









- High quality Premier board surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround

Advanced Features




















Specification

Installation Type	Free-standing suite
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Smooth Paint Finishes	White Mist Cream





Smooth White



- High quality Premier board surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround














Specification

Free-standing suite
1.6kW
0.8kW
Thermal cut out
White Mist Cream

Dimensions mm





Smooth Mist



Smooth Cream



- High quality Premier board surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround

Advanced Features














Specification

Installation Type	Free-standing suite
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Smooth Paint Finishes	White Mist Cream

Dimensions mm






Smooth Mist



Smooth Cream

19



ULTIFLAME VR ADOUR ILLUMIA SUITE



Features

- High quality Premier board surround
- Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround

Advanced Features














Smooth Cream



Smooth Mist

Specification

•	
Installation Type	Free-standing suite
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Smooth Paint Finishes	White
	Mist
	Cream



ULTIFLAME VR CALLISTO SUITE



Features

- High quality Premier board surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround

Advanced Features


















Specification

Installation Type	Free-standing suite
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Smooth Paint Finishes	White
	Mist
	Cream





Smooth White







ULTIFLAME VR ELARA SUITE



Features

- High quality Premier board surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround

Advanced Features














Specification

•	
Installation Type	Free-standing suite
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Smooth Paint Finishes	White
	Mist
	Cream





Smooth Cream



Smooth White



- Portuguese Limestone Surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout
- crystal embers & realistic logs4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround

Advanced Features















Specification

Installation Type (H x W x D)	Wall inset into 605mm x 890mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finish	
Natural	Limestone

Dimensions mm

320

815



- Portuguese Limestone Surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround

Advanced Features















Specification

Installation Type (H x W x D)	Wall inset into 605mm x 890mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finish	Limestone
Natural	Limestone

Dimensions mm

320 815



- Portuguese Limestone Surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout
 crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround
















Specification

Installation Type (H x W x D)	Wall inset into 650mm x 610mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finish	
Natural	Limestone





- Portuguese Limestone Surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout
 crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround
















Specification

•	
Installation Type (H x W x D)	Wall inset into 650mm x 610mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finish	
Natural	Limestone

Dimensions mm





- Portuguese Limestone Surround
- Virtual flame Real open fire experience
- Customisable fuel bed layout

 crystal embers & realistic logs

 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
- Guarantees 2 Year Fire, 1 Year Surround
















Specification

•	
Installation Type (H x W x D)	Wall inset into 650mm x 610mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finish	
Natural	Limestone





- Virtual flame Real open fire experience
- Customisable fuel bed layout
 crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features














Specification

Installation Type (H x W x D)	Wall inset into 605mm x 890mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out





- Virtual flame Real open fire experience
- Customisable fuel bed layout crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation












Specification

Installation Type (H x W x D)	Wall inset into 605mm x 890mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finishes Metallic Brushed Textured Paint Steel Fabricated Fascia	Satin Silver Satin Champagne Black Textured





Black Textured



Satin Champagne



- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation














Specification

Installation Type (H x W x D)	Wall inset into 605mm x 890mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finishes Metallic Brushed Textured Paint Steel Fabricated Fascia	Satin Silver Satin Champagne Black Textured

Dimensions mm





Satin Silver



Satin Champagne



- Virtual flame Real open fire experience
- Customisable fuel bed layout
 crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation














Specification

Installation Type (H x W x D)	Wall inset into 605mm x 890mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finishes	Satin Champagne
Metallic Brushed Steel Fabricated Fascia	Satin Black

Dimensions mm





Satin Black



- Virtual flame Real open fire experience
- Customisable fuel bed layout
 crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features
















Specification

Installation Type (H x W x D)	Wall inset into 650mm x 610mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out





- Virtual flame Real open fire experience
- Customisable fuel bed layout
 crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation
















Specification

Installation Type (H x W x D)	Wall inset into 650mm x 610mm x 185mm
Heat Output – High	1.6kW
Heat Output – Low	0.8kW
Safety	Thermal cut out
Finishes	Satin Silver
Metallic Brushed Steel Fabricated Fascia	Satin Black

Dimensions mm





Satin Black



ULTIFLAME VR

ARCADIA



Features

- Virtual flame Real open fire experience
- Customisable fuel bed layout
 crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features











Black & Chrome

Specification

•	
Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Dual Finishes	Black & Chrome
Paint and Metallic Plated High Quality Cast Iron Fascia	Black & Gold



ULTIFLAME VR DECADENCE



Features

- Virtual flame Real open fire experience
- Customisable fuel bed layout
- crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation


















Specification







Dimensions mm







ULTIFLAME VR CAMBER



Features

- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features













Black Textured





Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame	
Heat Output – High	1.5kW	
Heat Output – Low	0.75kW	
Safety	Thermal cut out	
Finishes Metallic Brushed	Satin Silver	



Satin Champagne

Dimensions mm

Textured Paint

Anodised Aluminium Fascia



Inset

Satin Champagne

Black Textured

ULTIFLAME VR

FRONTIER



Features

- Virtual flame Real open fire experience
- Customisable fuel bed layout
 crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features


















Specification

•	
Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Dual Finish	Black Textured & Chrome
Paint & Metallic Steel Fabricated Fascia	











ULTIFLAME VR

ESSENCE



Features

- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features















Specification

•	
Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes	Satin Silver




Metallic Brushed Smooth Paint Steel Fabricated Fascia














ULTIFLAME VR DESIGNER



Features

- Virtual flame Real open fire experience
- Customisable fuel bed layout
- crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features





















Black & Brass

Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Dual Finishes	Satin Silver & Black
Aluminium and Steel Fabricated Fascia	Black & Brass











ULTIFLAME VR

ENDURA



Features

- Virtual flame Real open fire experience
- Customisable fuel bed layout – crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features



















Black

Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes	Chrome
Metallic or Smooth Paint Steel Fabricated Fascia	Black





ULTIFLAME VR CONTEMPORARY



Features

- Virtual flame Real open fire experience
- Customisable fuel bed layout
- crystal embers & realistic logs
- 4 Flame Brightness settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features


















Satin Champagne

Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes	Satin Silver
Metallic Brushed Steel Fabricated Fascia	Satin Champagne









CELSI PURAFLAME® & PURASTOVE® THE MOST FUNCTIONAL ELECTRIC FIRES & STOVES ON THE MARKET

MULTI FLAME PICTURES

Celsi has patented some of the most advanced technologies to create the most sophisticated and realistic fire effect in the world. Every Puraflame fire has been designed to give the appearance of outstanding depth along with an amazing 3D effect, and comes with a selection of real fire effects to choose from.

FLAME SPEED

You may prefer a slow and calming flame or a quick and spellbinding flicker. With a choice of 5 flame speeds you can speed up or slow down each of the real fire movies.

FIRE VOLUME

There's nothing more soothing than the authentic crackle of a real log fire. Lower the volume for a more subtle result or crank it up for full effect. There is also a mute button to silence the sound effect when you need to. When on 'flame only' setting, Puraflame is the quietest fire on the market.

MOOD LIGHTS

The mood lighting feature creates a calming ambience around the heater. A choice of 3 LED colours: white, amber and blue, lets you highlight the fire to suit your mood. This is only available on the Curved and Panoramic models and can be turned off if not required.



BLUE



OFF



SMOULDERING LOG



BLAZING LOG



FLAMING COAL



Flame pictures are extremely quiet running when operated in isolation and no heat is required from the appliance.



FUNCTIONALITY AT YOUR FINGERTIPS

BRIGHTNESS

Natural daylight or artificial lamplight can have a big impact on how you see the flame picture. We have included this brightness function to allow you the option to increase or dim the LCD screen brightness to suit you and your environment.

SLEEP TIMER

An extremely practical function. The sleep timer can be used to automatically turn the heater to standby mode after a predetermined amount of time. Great if you want to doze off and not worry about turning the fire off once you have fallen asleep. The timer can be set for up to a maximum of 4 hours in 30 minute intervals and once this time has elapsed the appliance will automatically go into standby.

THERMOSTATIC HEATING

The fan heater can be operated in manual or automatic mode. When in manual mode you can use the heat button on the remote handset to select low heat, high heat or heat off.

To eliminate the hassle of constantly manually adjusting the heat output, every Puraflame fire features a state-of-the-art, digitally controlled thermostat. Use the temperature function to turn on automatic heat mode. You can pre-select your comfort level and the heater will automatically adjust between high heat and off, maintaining the room temperature you have selected.



- Ultra High Technology Experience
- Glass fronted fire
- Convincing real flame effects
- Exceptional Functionality
- Remote & manual control operation
- Contemporary Flat Glass Styling
- Includes wall fixing bracket

Advanced Features


























Specification

Installation Type	Wall mounted only
Heat Output – High	2kW
Heat Output – Low	1kW
Safety	Thermal cut out
Flame Options	Smouldering Log Blazing Log Flaming Coal
Finish	Black Glass



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



- Ultra High Technology Experience
- Glass fronted fire
- Convincing real flame effects
- Exceptional Functionality
- Remote & manual control operation
- Contemporary Curved Glass Styling
- Includes wall fixing bracket

Advanced Features


























Specification

Installation Type	Wall mounted only
Heat Output – High	2kW
Heat Output – Low	1kW
Safety	Thermal cut out
Flame Options	Smouldering Log Blazing Log Flaming Coal
Finish	Black Glass



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



PURASTOVE GLASS 2

Features

- Ultra High Technology Experience
- Convincing real flame effects
- Exceptional Functionality
- Remote & manual control operation
- Contemporary glass door and stove top

Advanced Features
















AUTHENTIC SOUND

Specification

Installation Type	Free-standing
Heat Output – High	2.0kW
Heat Output – Low	1.0kW
Safety	Thermal cut out
Flame Options	Smouldering Log Blazing Log Flaming Coal
Finish Painted Steel Fabricated	Black Glass & Chrome

Dimensions mm

Painted Steel Fabricated Glass Door & Stove Top





Smouldering log effect



Flaming coal effect

ELECTRIFLAME® XD & ELECTRISTOVE® XD

Extra Dimensional – High Definition Fire.

The Celsi Electriflame XD Range uses improved technology to create a stunning extra deep fuel bed and high definition flame picture. Sit back and relax as the vibrant 3D flame effect, smouldering fuel bed and soothing heat output creates an atmospheric and highly realistic experience.

Electriflame XD comes with two heat levels, variable flame dimmer, and relaxing natural flame movements. All functionality operated via the remote control handset or using the manual controls on the appliance.

In addition to impressive 'hang-on-the-wall' and hearth inset designs, this 3D technology also expands into our free-standing Electristove XD range with steel bodies, contemporary glass door, or metal door finish. Both models creating a highly realistic stove fire effect.







XD Flame effect Wall mounted fires Free-standing stoves



XD Flame effect with log ceramics Hearth inset fires



























- Glass fronted high definition flame picture
- Advanced 3D extra deep fuel bed effect
- Relaxing, smoky full depth flame effect
- Variable flame dimmer with four settings
- Remote & manual control operation
- Includes wall fixing bracket
- Contemporary flat glass stylingAvailable in two sizes

Advanced Features














Specification

	1
Installation Type	Wall mounted only
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finish	Black Glass



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



- Glass fronted high definition flame picture
- Advanced 3D extra deep fuel bed effect
- Relaxing, smoky full depth flame effect
- Variable flame dimmer with four settings
- Remote & manual control operationIncludes wall fixing bracket
- Available in two sizes

Advanced Features














Specification

Installation Type	Wall mounted only
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finish	
Glossy Painted	Black



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



- Glass fronted high definition flame picture
- Advanced 3D extra deep fuel bed effect
- Relaxing, smoky full depth flame effect
- Variable flame dimmer with four settings
- Remote & manual control operation
- Includes wall fixing bracket

Advanced Features














Installation Type	Wall mounted only
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finish	
Natural Marble	Royal Botticino



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



- Glass fronted high definition flame picture
- Advanced 3D extra deep fuel bed effect
- Relaxing, smoky full depth flame effect
- Variable flame dimmer with four settings
- Remote & manual control operation
- Includes wall fixing bracket

Advanced Features
















Specification

Installation Type	Wall mounted only
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finish	
Natural Marble	Prestige Brown





Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



- Glass fronted high definition flame picture
- Advanced 3D extra deep fuel bed effect
- Relaxing, smoky full depth flame effect
- Variable flame dimmer with four settings
- Remote & manual control operation
- Includes wall fixing bracketAvailable in two sizes

Advanced Features












Specification

Installation Type	Wall mounted only
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finish	
Natural	Travertine

Dimensions mm



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



- Glass fronted high definition flame picture
- Advanced 3D extra deep fuel bed effect
- Relaxing, smoky full depth flame effect
- Variable flame dimmer with four settings
- Remote & manual control operation
- Includes wall fixing bracketAvailable in two sizes

Advanced Features














Specification

- 1	
Installation Type	Wall mounted only
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finish	
Satin Painted MDF Fascia	Ivory

Dimensions mm



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



- Glass fronted high definition flame picture
- Advanced 3D extra deep fuel bed effect
- Relaxing, smoky full depth flame effect
- Variable flame dimmer with four settings
- Remote & manual control operation
- Includes an easy fixing wall plate for trouble free installation
- Contemporary curved glass styling


Advanced Features





Specification

Installation Type	Wall mounted only
Heat Output – High	1.8kW
Heat Output – Low	0.9kW
Safety	Thermal cut out
Finish	Black Glass



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.

ELECTRIFLAME XD LAMELA



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers &
- Variable flame dimmer with four settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features


















Brass & Black

Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes Dual Finish	Satin Brass & Black
Paint & Metallic Steel Fabricated Fascia	Black & Satin Silver











ELECTRIFLAME XD CAMBER



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers &
- Variable flame dimmer with four settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features
















Satin Silver



Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes Brushed Metallic Textured Paint Anodised Aluminium Fascia	Satin Silver Satin Champagne
	Black Textured



Black Textured





ELECTRIFLAME XD DECADENCE



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers &
- Variable flame dimmer with four settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features






















Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes Metallic Plated	Chrome
High Quality Cast Iron Fascia	Gold
	Black Nickel











ELECTRIFLAME XD ESSENCE



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers &
- Variable flame dimmer with four settings
- Adaptive control featureRemote & manual control operation

Advanced Features














Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes	Satin Silver
Brushed Metallic Smooth Paint Steel Fabricated Fascia	Antique Brass









ELECTRIFLAME XD ARCADIA



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers & realistic logs
- Variable flame dimmer with four settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features




















Specification

•	
Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Dual Finishes	Black & Gold
Paint and Metallic Plated High Quality Cast Iron Fascia	Black & Chrome







ELECTRIFLAME XD DAISY



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers & realistic logs
- Variable flame dimmer with four settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features











Black







Specification

Specification	
Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes	Brass
Metallic or Smooth Paint Steel Fabricated Trim Solid Brass or Cast Iron Fret	Chrome







ELECTRIFLAME XD CARESS



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers &
- Variable flame dimmer with four settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features


















Specification

•	
Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes High Quality Cast Brass	Brass
Trim & Fret	Satin Siver







ELECTRIFLAME XD

ROYALE



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers &
- Variable flame dimmer with four settings
- Adaptive control featureRemote & manual control operation

Advanced Features













Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 70mm opening or flat wall installation using an optional 75mm spacer frame
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finishes	Brace



Metallic or Smooth Paint Steel Fabricated Trim Solid Brass or Cast Iron Fret



















ELECTRIFLAME XD BAUHAUS



Features

- Glass fronted high definition flame picture
- Customisable fuel bed layout Crystal embers &
- Variable flame dimmer with four settings
- Adaptive control feature
- Remote & manual control operation

Advanced Features



















Specification





Dimensions mm





Black





ELECTRISTOVE XD

METAL



Features

- Advanced 3D extra deep fuel bed
- Relaxing, smoky, full depth flame effect
- Remote & manual control operation
- Available in two sizes

Advanced Features













Electristove XD Metal 2

Specification

Installation Type	Free-standing
Heat Output – High	2.0kW
Heat Output – Low	1.0kW
Safety	Thermal cut out
Finish	
Steel Fabricated Body	Black









ELECTRISTOVE XD

GLASS



Features Glass 1 & Glass 2

- Contemporary glass door stove
- Advanced 3D extra deep fuel bed
- Relaxing, smoky, full depth flame effect
- Remote & manual control operation
- Contemporary glass door and stove top
- Available in two sizes

Advanced Features Glass 1 only














Electristove XD Glass 1

Specification

Installation Type	Free-standing
Heat Output – High	2.0kW
Heat Output – Low	1.0kW
Safety	Thermal cut out
Finish	Black Glass & Chrome
Steel Fabricated Body Glass Door	

Dimensions mm

GLASS 2





591 350






Electristove XD Glass 2





FLAMONIK, TOUCHFLAME







Inspired electric flame effect technologies.

FLAMONIK

Celsi Flamonik technology provides a distinctive and mesmerising flame picture that is complimented further when combined with the optional mood lighting function, creating a soft colourful atmospheric glow around the product. The two models available are both 'hang-on-the wall' and feature a realistic natural log fuel effect.















TOUCHFLAME

The Celsi Touchflame electric fire features a fully functional touchscreen control panel built-in to the product fascia. Additional functionalities include a dynamic colour cycling flame picture and fuel bed, with the option to select and fix your favourite colour. Also an 8hr sleep timer function allowing you to pre-set how long the heat remains on, at hourly intervals up to 8 hours.











ACCENT

Celsi Accent electric fire technology makes good use of energy saving LED lights to illuminate a reflective ribbon flame effect resulting in eye catching bright flame motion. This is further complimented by a warm up-light glowing through the randomly laid fuel bed coals.

















- Flat glass fascia
- Distinctive flame effect
- Remote & manual control operation
- Raised log fuel bed
- Includes wall fixing bracket

Advanced Features


















Installation Type	Wall mounted only
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finish	Black Glass





Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.









Amber



- Curved glass fascia
- Enchanting smoky flame effect
- Remote & manual control operation
- Raised log fuel bed
- Includes wall fixing bracket

Advanced Features














COLOUR CYCLE

Installation Type	Wall mounted only
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Finish	Black Glass



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.







Amber



- Touchscreen control panel
- Remote & manual control operation
- Natural log or crystal embers fuel effect
- Optional matching stand for free-standing installation
- Flat Glass Fascia
- Includes wall fixing bracket

Advanced Features












Installation Type	Wall mounted only
Heat Output – High	1.8kW
Heat Output – Low	0.9kW
Safety	Thermal cut out
Finishes	Black Glass
	White Glass







White with crystal fuel effect



ACCENT TRADITIONAL



Features

- Lively Ribbon Flame Effect
- Coal effect fuel bed
- 3 LED flame brightness settings
- Solid brass or chrome plated fret
- Remote & manual control operation

Advanced Features










ISO



Chrome

Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 75mm opening
Heat Output – High	2.0kW
Heat Output – Low	1.0kW
Safety	Thermal cut out
Finishes	Brass
Steel Fabricated Metallic Plated Trim	Chrome



ACCENT INFUSION



Features

- Lively Ribbon Flame Effect
- Coal effect fuel bed
- 3 LED flame brightness settings
- Remote & manual control operation

Advanced Features













Specification

Installation Type (H x W x D)	Inset into 560mm x 420mm x 75mm opening
Heat Output – High	2.0kW
Heat Output – Low	1.0kW
Safety	Thermal cut out

Dual Finishes

Metallic & Painted Steel Fabricated Fascia










Brass & Black



Black & Chrome





DISCLAIME

Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information.

Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyright 2019 and must not be reproduced in whole or in any part without prior written permission).

We would like to thank OER Fireplaces (01782 319350) for supplying the fire surrounds used in this brochure.



BFM Europe Ltd, Gordon Banks Drive, Trentham Lakes, Stoke-on-Trent ST4 4TJ Tel:01782 339000

Email: sales@bfm-europe.com

www.celsielectricfires.co.uk

Go direct to the Celsi website on your smart phone or tablet device and use the app to scan the black and white QR codes shown on each page. Alternatively, go to www.celsielectricfires.co.uk to browse all Celsi electric fires.



