INSPIERE

COLLECTION



A range of stunning gas fires for your home



Contents

Discover Valor	4
Inspire 400 Stove M	6
Inspire 400 Stove L	8
Inspire 400	10
Inspire 400 Atalanta Suite	12
Inspire 400 Vicenza Suite	14
Inspire 500	16
Inspire 500 Palermo Suite	18
Inspire 500 Vicenza Suite	20
Inspire 600	22
Inspire 600 Napoli Suite	24
Inspire 600 Verona Suite	26
Inspire 800	28
Inspire 800 Abruzzo Suite	30
Inspire 800 Messina Suite	32
Inspire 1000 Fireslide	34
Inspire 1000 Remote	36
Design Versatility - Your Choices	38
Burners Explained	39
Surround Dimensions	40
Trim Dimensions	42
Technical Chart	43





Discover Valor

At Valor we are always striving to improve the products we offer you. This may be technical changes that improve how the products work with your lifestyle, through to totally new designs. For example, following the successful launch of the Inspire 400 range, we added a remote-control option.

Our aim is to provide the widest selection of products so you can find a design that fits your home and your budget.

New to this brochure is a range of contemporary gas stoves - the Inspire 400 L and M. These stylish products come as a one box solution and offer a freestanding alternative, but have many of the unique features available on the wider Inspire range.

Choose from the tall L model with built in log store, or the more traditionally sized M – ideal for freestanding or fitting into a fireplace. See pages 6-9 for more information.



Chimney Options

The Inspire range is only suitable for brick chimneys.



Brick Chimney (BC) The classic brick built chimney is suitable for all gas fires.



Pre-fabricated Flue (PF) Pre-fabricated chimneys are suitable for most gas fires dependent on flue depth and diameter.



Pre-cast Flue (PCF) Pre-cast flues are found in most modern homes and are suitable for slimline gas fires.



No Chimney (NC) No chimney or flue? Balanced flue gas fires are suitable in this case.

Discover Valor

Discover Inspire - a stunning collection of landscape gas fires and stoves from Valor.

Inspire brings a sense of style, quality and prestige to your living space. Combining design inspiration with innovative performance features and easy servicing, Inspire is the perfect fire for your home.

Inspire delivers quality, versatility and all the atmosphere of a standout, warming feature fire in your living room. And all this from a brand you can trust, with a proud heritage of more than 60 years' experience manufacturing gas fires for the home.



Design versatility

Create your perfect fire by choosing from a long list of design options with the Inspire Collection. Depending on the model, you can choose from different trims, liners, glass frame colours, glass and fuel beds.

The 400, 500, 600 & 800 models also come with a choice of two suites for each model. Inspire fires (excluding 400 model) can even be purchased with a frameless kit which requires no trim.

The options available will vary according to model, so please see individual product pages for details




State-of-the-art control options

All models in the Inspire Collection come with a choice of Fireslide or remote control. Valor's unique Fireslide control lets you easily adjust the flames output with a simple control. For the ultimate in convenience, there is also the option of an advanced remote control (see page 38 for more details).



Flexible flame picture for improved efficiency

With Valor's unique Dual burner, available on the 600, 800 & 1000 models, you also have greater control over your heat output, being able to reduce it down to 34% when the full flame is not required (typically a conventional burner can be turned down to 60% of output), giving you maximum comfort and complete control.





Flexible installation

For added flexibility of installation, a gather hood connector kit, designed exclusively for all Inspire fires (excluding stoves), allows the fire to connect to a flexible flue system. Even servicing is made easy, thanks to the way in which the entire burner assembly slides out.



Highest standards guaranteed

All Valor fires are designed, manufactured and tested to the highest standards, to ensure the quality and safety of the products we sell. As part of the multi-national Glen Dimplex Heating & Ventilation division, our products are developed in state-of-the-art research and design facilities, incorporating the very latest in home heating technologies.

As a result, you can have confidence that you are buying from a leading brand that you can trust - backed by more than 60 years of proud history.



High efficiency

Our dedicated research and development facilities combine the latest technology with innovative techniques to ensure our products offer the highest possible efficiency. For example, all fires in the Inspire range are glass fronted so this helps you to consume less energy and keep running costs to a minimum.

Best of both worlds

Gas fires deliver two types of heat - radiant and convected. Radiant heat warms people and not the air, offering instantaneous localised heat. Convected heat works by pulling cold air through the bottom of the fire and passing it over the flames pushing hot air into the room. This means that a gas fire can offer you the best of both worlds - the cosy instant warmth of an open fire as well as generally heating the room.















Trusted retailer network

Our aim is to make owning a Valor fire a truly enjoyable experience - from initial search through to installation, followed by years of pleasure from your purchase.

As well as ensuring you have all the information you need - after all buying a fire for your home is a major decision – we also want to make sure our fires and sold and installed correctly.



National network of expert retailers

Inspire fires are only sold through a network of Valor Centre retailers who provide the highest levels of service, knowledge and experience. These retailers are experts in their field and will talk you through your individual requirements – both technical and aesthetics – to help guide you to your perfect Valor fire. They will be able to show you a range of products in their showroom - many will be fully operational - so that you touch, try and see the quality of the product for yourself.

Once installed, these retailers will also be able to provide any after sales service you require, including annual maintenance.

This means you can relax in the knowledge that your fire has been recommended, supplied and installed by professionals to the highest standards.

Visit www.valor.co.uk/find-a-retailer to find your nearest Valor Centre showroom, to see our fires in action and discuss your individual requirements.



Extra warranty


When you purchase a Valor Inspire fire you do so with the utmost confidence that it will serve you for many years to come. Such is the confidence in our products, that when you purchase an Inspire fire from a Valor Centre retailer, you are eligible for an exclusively extended three year warranty (one year as standard, plus an additional two years upon online registration at www.valor.co.uk) on all Valor Inspire products.

To take advantage of this, simply complete the online registration at www.valor.co.uk/warranty. Products must be installed in accordance with the manufacturer's instructions and maintained in line with the Terms & Conditions, which includes an annual service.

For full terms and conditions visit www.valor.co.uk/terms-and-conditions.



Inspire 400 Fireslide Luminaire Medium Stove with black glass frame and vermiculite liner



Inspire 400 Medium Stove

Product features and benefits

- Max heat output 4.0kW
- Min heat output 1.1kW
- 84.5% efficiency
- Remote or Fireslide control
- Luminaire LED electric underbed glow, creating the illusion of burning embers for a warming glow that can be enjoyed with or without heat
- Radiant & convected heat

- Choice of liner options
- Choice of black or anthracite glass frame
- Natural gas
- Suitable for brick chimneys
- Choice of standard or Clear Vision anti-reflective glass
- Top flue only (flue not supplied)



T&Cs apply. See page 5 for details




Fireslide control black



Remote control



Luminaire electric underbed glow





Inspire 400 Large Stove

Product features and benefits

- Max heat output 4.0kW
- Min heat output 1.1kW
- 84.5% efficiency
- Remote or Fireslide control
- Luminaire LED electric underbed glow, creating the illusion of burning embers for a warming glow that can be enjoyed with or without heat
- Radiant & convected heat

- Choice of liner options
- Choice of black or anthracite glass frame
- Natural gas
- Suitable for brick chimneys
- Choice of standard or Clear Vision anti-reflective glass
 Top flue only (flue not supplied)



T&Cs apply. See page 5 for details

earth ---- I




Remote control

Fireslide control chrome




Luminaire electric underbed glow



nspire 400 Fireslide Luminaire Large Stove with black glass frame and vermiculite liner

COMPANY &C A 100 100 101 1 HOLE & C. STATE OF L 100



1111110 1110



Inspire 400

Product features and benefits

- Max heat output 4.0kW
- Min heat output 1.1kW
- 84.5% efficiency
- Remote or Fireslide control
- Luminaire LED electric underbed glow, creating the illusion of burning embers for a warming glow that can be enjoyed with or without heat
 Radiant & convected heat

- Can be fitted into wall or as part of suite
- Choice of liner & trim options
- Choice of black or anthracite glass frame
- Natural gas
- Suitable for brick chimneys
- Choice of standard or Clear Vision anti-reflective glass



T&Cs apply. See page 5 for details




Fireslide control black





Remote control



Luminaire electric underbed glow







Inspire 400 Atalanta Suite

Product features and benefits

- 48" Turkish limestone suite
- Exclusive Valor Centre design
- Max heat output 4.0kW
- Min heat output 1.1kW
- 84.5% efficiency
- Remote or Fireslide control
- Radiant & convected heat
- Choice of liner & trim options
- Natural gas

- Choice of black or anthracite glass frame
- Luminaire LED electric underbed glow, creating the illusion of burning embers for a warming glow that can be enjoyed with or without heat
- Suitable for brick chimneys
- Choice of standard or Clear Vision anti-reflective glass
- Note: The Inspire 400 gas fire can only be hearth mounted with the Atalanta suite




Fireslide control chrome Remote control




Luminaire electric underbed glow

3 YEAR DUARANTEE

T&Cs apply. See page 5 for details









.



Inspire 400 Vicenza Suite

Product features and benefits

- 45" Portuguese limestone suite
- Exclusive Valor Centre design
- Max heat output 4.0kW
- Min heat output 1.1kW
- 84.5% efficiency
- Remote or Fireslide control
- Radiant & convected heat
- Choice of liner & trim options

- Choice of black or anthracite glass frame
- Luminaire LED electric underbed glow, creating the illusion of burning embers for a warming glow that can be enjoyed with or without heat
- Natural gas
- Suitable for brick chimneys
- Choice of standard or Clear Vision anti-reflective glass



T&Cs apply. See page 5 for details




Fireslide control black





Remote control



Luminaire electric underbed glow







Inspire 500

Product features and benefits

- Max heat output 4.0kW
- Min heat output 1.8kW
- 80% efficiency
- Remote or Fireslide control
- Advanced burner technology
- Radiant & convected heat
- Can be fitted into wall or as part of suite
- Choice of liner & trim options

- Choice of black or anthracite glass frame
- Frameless kit available
- Choice of oak or rustic logs
 Natural Gas. LPG option also available on Fireslide model
- Suitable for brick chimneys
- Realistic flame picture
- Choice of standard or Clear Vision anti-reflective glass



T&Cs apply. See page 5 for details




Advanced burner technology







Remote control







spire 500 Fireslide with edge trim in brushed chrome, black glass frame, mirrored glass liner and rustic logs

HALL LET LL



Inspire 500 Palermo Suite

Product features and benefits

- 44" Portuguese limestone suite
- Exclusive Valor Centre design
- Max heat output 4.0kW
- Min heat output 1.8kW
- 80% efficiency
- Remote or Fireslide control
- Advanced burner technology
- Radiant & convected heat
- Choice of liner & trim options

- Choice of black or anthracite glass frame
- Frameless kit available
- Choice of oak or rustic logs
- Natural Gas. LPG option also available on Fireslide model
- Suitable for brick chimneys
- Realistic flame picture
 Choice of standard or Clear Vision anti-reflective glass



T&Cs apply. See page 5 for details





Advanced burner technology



Fireslide control black







Inspire 500 Vicenza Suite

Product features and benefits

- 45" Portuguese limestone suite
- Exclusive Valor Centre design
- Max heat output 4.0kW
- Min heat output 1.8kW
- 80% efficiency
- Remote or Fireslide control
- Advanced burner technology
- Radiant & convected heat
- Choice of liner & trim options



- Natural Gas. LPG option also available on Fireslide model
- Suitable for brick chimneys
- Realistic flame picture
 Choice of standard or Clear Vision anti-reflective glass







Advanced burner technology



Fireslide control chrome











Inspire 600

Product features and benefits


- Max heat output 4.0kW
- Min heat output 1.5kW
- 75% efficiency
- Remote or Fireslide control
- Dual burner technology allows for one or two burners to be lit depending on whether you want a gentle or 'roaring' flame
- Can be fitted into wall or as part of suite
- Radiant & convected heat


- Choice of liner & trim options
- Choice of black or anthracite glass frame
- Frameless kit available
- Choice of oak or rustic logs
- Natural gas
- Suitable for brick chimneys
- Realistic flame picture
- Choice of standard or Clear Vision anti-reflective glass



Dual burner technology for gentle or 'roaring' flames Fireslide control black









Inspire 600 Napoli Suite

Product features and benefits

- 48" Portuguese limestone suite
- Exclusive Valor Centre design
- Max heat output 4.0kW
- Min heat output 1.5kW
- 75% efficiency
- Remote or Fireslide control
- Dual burner technology allows for one one or two burners to be lit depending on whether you want a gentle or 'hoarng' flame
- Radiant & convected heat




- Choice of black or anthracite glass frame
- Frameless kit available
- Choice of oak or rustic logs
- Natural gas
- Suitable for brick chimneys
- Realistic flame picture
- Choice of standard or Clear Vision anti-reflective glass























Inspire 600 Verona Suite

Product features and benefits

- 48" Portuguese limestone suite
- Exclusive Valor Centre design
- Max heat output 4.0kW
- Min heat output 1.5kW
- 75% efficiency
- Remote or Fireslide control
- Dual burner technology allows for one one or two burners to be lit depending on whether you want a gentle or 'roaring' flame
- Radiant & convected heat



- Choice of black or anthracite glass frame
- Frameless kit available
- Choice of oak or rustic logs
- Natural gas
- Suitable for brick chimneys
- Realistic flame picture
- Choice of standard or Clear Vision anti-reflective glass





Dual burner technology for gentle or 'roaring' flames Fireslide control black





Remote control








T&Cs apply. See page 5 for details

Inspire 800

Product features and benefits

- Max heat output 4.6kW
- Min heat output 1.6kW
- 80% efficiency
- Remote or Fireslide control
- Dual burner technology allows for one one or two burners to be lit depending on whether you want a gentle or 'roaring' flame
- Radiant & convected heat
- Can be fitted into wall or as part of suite






- Frameless kit available
- Choice of oak or rustic logs
- Natural gas
- Suitable for brick chimneys
- Realistic flame picture
- Choice of standard or Clear Vision anti-reflective glass





Dual burner technology for gentle or 'roaring' flames Fireslide control chrome

Remote control









Inspire 800 Fireslide with edge trim in brushed chrome, black glass frame, vermiculite liner and oak logs



Inspire 800 Abruzzo Suite

Product features and benefits

- 54" Portuguese limestone suite
- Exclusive Valor Centre design
- Max heat output 4.6kW
- Min heat output 1.6kW
- 80% efficiency
- Remote or Fireslide control
- Dual burner technology allows for one one or two burners to be lit depending on whether you want a gentle or 'roaring' flame
- Radiant & convected heat


- Choice of liner & trim options
- Choice of black or anthracite glass frame
- Frameless kit available
- Choice of oak or rustic logs
- Natural gas
- Suitable for brick chimneys
- Realistic flame picture
- Choice of standard or Clear Vision anti-reflective glass



Dual burner technology for gentle or 'roaring' flames Fireslide control black



. • •





T&Cs apply. See page 5 for details

Inspire 800 Messina Suite

Product features and benefits

- 56" Portuguese limestone suite
- Exclusive Valor Centre design
- Max heat output 4.6kW
- Min heat output 1.6kW
- 80% efficiency
- Remote or Fireslide control
- Dual burner technology allows for one one or two burners to be lit depending on whether you want a gentle or 'roaring' flame
- Radiant & convected heat



Choice of black or anthracite glass frame




Choice of oak or rustic logs


Frameless kit available

- Natural gas
- Suitable for brick chimneys
- Realistic flame picture
- Choice of standard or Clear Vision anti-reflective glass













Inspire 1000 Fireslide

Product features and benefits

- Max heat output 4.9kW
- 78% efficiency
- Remote or Fireslide control
- Dual burner technology allows for one or two burners to be lit depending on whether you want a gentle or roaring' flame
- Radiant & convected heat
- Can be fitted into wall or as part of suite



- Min heat output 1.9kW Fireslide model
 78% efficiency
 Choice of black or anthracite glass frame
 - Frameless kit available
 - Choice of oak or rustic logs
 - Natural gas
 - Suitable for brick chimneys
 - Realistic flame picture
 - Choice of standard or Clear Vision anti-reflective glass




T&Cs apply. See page 5 for details






Dual burner technology for gentle or 'roaring' flames Fireslide control black



Inspire 1000 Remote

Product features and benefits

- Max heat output 4.9kW
- Min heat output 1.7kW Remote model
- 78% efficiency
- Remote or Fireslide control
- Dual burner technology allows for one one or two burners to be lit depending on whether you want a gentle or 'roaring' flame
- Radiant & convected heat
- $\cdot \;\; \mathsf{Can} \; \mathsf{be} \; \mathsf{fitted} \; \mathsf{into} \; \mathsf{wall} \; \mathsf{or} \; \mathsf{as} \; \mathsf{part} \; \mathsf{of} \; \mathsf{suite}$



- Frameless kit available
- Choice of oak or rustic logs
- Natural gas
- Suitable for brick chimneys
- Realistic flame picture
- Choice of standard or Clear Vision anti-reflective glass




T&Cs apply. See page 5 for details



Dual burner technology for gentle or 'roaring' flames Fireslide control chrome







The Luminaire LED technology provides an electric underbed glow, creating the illusion of burning embers for a warming glow that can be enjoyed with or without heat. It also features advanced burner technology which provides an unbeatable 'camp-fire' flame picture (see pictures).

Single Burner (500 models only)

Black only

Frameless Kit



Trim Options Edge Trims





Note: Inspire 400 models comes with a choice of a 3-sided or 4-sided trim available in the above designs and colour finishes.

Brushed Chrome





Grande Trims





Brushed Chrome Chrome

Note: Frameless kit available on

500, 600, 800 and 1000

Liner Options











Brick Liner

Glass Options

Choose from standard or Clear Vision anti-reflective glass. Anti-reflective glass offers crystal clear transparency. It reduces reflections to just a fraction of those seen with conventional glass.



Standard



Clear Vision anti-reflective

Black Liner

Vermiculite Liner

Inspire 400 stoves do not require a trim, as they come complete with stove casing.

Mirrored Glass Liner Slate Liner

Note: All Inspire 400 models & stoves are only available with a choice of black, mirrored glass & vermiculite liners

Glass Frame Options

Choose from black or anthracite glass frames.





Black

Anthracite

Control Options

Remote

Chrome

This premium control offers a host of features including on/off, flame settings & output control and a host of operation modes including thermostatic, eco and programme modes, and child proof mode for extra piece of mind.



Inspire 500, 600, . 800 and 1000



Fireslide

A first of its kind for premium gas fires, Fireslide lets you easily adjust the flame output with a simple slide control. All Fireslide models come with both chrome and black handle as standard.



Fireslide control – Inspire 400, Stove L & Stove M



Fireslide control – Inspire 500,600,800 & 1000

The Inspire 'Dual' burner is divided into three sections which allows the front burner to be lit on low (setting 1) or on medium (setting 2) and also enables both burners to be on full (setting 3).

38

Burners Explained

Luminaire LED Burner (Inspire 400, Stove L and Stove M)



Setting 1 – Low



Setting 2 – Medium



Setting 3 – High



Luminaire - under-bed glow

The Inspire 500 models are fitted with an advanced burner, which offers a realistic flame picture and glow.



Setting 1 – Low



Setting 2 – Medium



Setting 3 – High

Dual Burner (600, 800 & 1000 models only)



Setting 1 – Low



Setting 2 - Medium




Setting 3 – High


Surround Dimensions

Surrounds Care


The surrounds featured in this brochure are made from beautiful materials naturally formed over millions of years, they have very individual features and characteristics encapsulated within them. From inside the raging furnaces of a cooling world there are the close up flowing swirls and veins of the molten rocks and from the crashing shores of oceans long ago, there are the shells and fossils nestled among the silt and shingle of ebbing tides.

Your fireplace should be protected from staining. In the event of an accident soak up any spillage immediately. Where staining has occurred, use a specialist stone cleaning and resealing kit, following the instructions given by Valor. Before cleaning, turn off the fire and allow to cool beforehand. Dust down regularly with a soft clean brush and occasionally wipe over with a damp cloth.






94




Note: The Inspire 400 gas fire can only be hearth mounted with the Atalanta suite




Inspire 400/500 Palermo Suite

Note: When fitting an Inspire 400 model with the Palermo suite the fireplace opening dimensions are: H: 555 W:400




Inspire 400/500 Vicenza Suite Note: When fitting an Inspire 400 model with the Vicenza suite the fireplace opening dimensions are: H: 555 W:400

Surround Dimensions




Trim Dimensions


Inspire 400 model




3 Sided Grande Trim



3 Sided Edge Trim






4 Sided Edge Trim

Dimension	400FS/400RC Grande Trim	400FS/400RC Edge Trim	400FS/400RC Grande Trim	400FS/400RC Edge Trim		
A	604mm	581mm	627mm	582mm		
В	501mm	456mm	501mm	456mm		
С	10mm	10mm	10mm	10mm		

Inspire 500 model




Frameless

Dimension

А

С




500FS/500RC

Frameless

545mm 486mm 25mm

Grande Trim





C		
- i -		
Ł		
	c	

500FS/500RC Grande Trim	500FS/500RC Edge Trim
627mm	582mm
597mm	552mm
10mm	10mm


Note: The frameless kit option is not available on the Inspire 400 model

Inspire 600, 800 & 1000 Models





Grande Trim




Edge Trim

Dimension	600FS/600RC Frameless	800FS/800RC Frameless	1000FS/1000RC Frameless	RC 600FS/600RC 800FS/800RC 1000FS/1000RC Grande Trim Grande Trim Grande Trim		1000FS/1000RC Grande Trim	600FS/600RC Edge Trim	800FS/800RC Edge Trim	1000FS/1000RC Edge Trim	
A	443mm	443mm	443mm 443mm 521mm 521mm		521mm	521mm	476mm	476mm	476mm	
В	590mm	790mm	912mm	697mm	897mm	1019mm	652mm	852mm	974mm	
С	25mm	25mm	25mm 25mm 10mm 10mm		10mm	10mm	10mm	10mm		

Technical Chart

									Fireplace	Openings						
Inspire	Heat (Output	Heat	Input	Net Efficiency	Control	He	eight	W	Width Depth		Depth Installation Options		Product Dimensions		
	Min	Max	Min	Max			Min	Max	Min	Max	Min	Max		Н	W	D
Stove M Fireslide	1.2kW	4.0kW	1.6kW	5.3kW	84.5%	Fireslide	920mm*	945mm*	625mm*	650mm*	450mm*	475mm*	Hearth	863mm	525mm	397mm
Stove M Remote	2.1kW	4.0kW	2.25kW	5.3kW	84.5%	Remote	920mm*	945mm*	625mm*	650mm*	450mm*	475mm*	Hearth	863mm	525mm	397mm
Stove L Fireslide	1.2kW	4.0kW	1.6kW	5.3kW	84.5%	Fireslide	1085mm*	1110mm*	625mm*	650mm*	450mm*	475mm*	Hearth	1035mm	525mm	397mm
Stove L Remote	2.1kW	4.0kW	2.25kW	5.3kW	84.5%	Remote	1085mm*	1110mm*	625mm*	650mm*	450mm*	475mm*	Hearth	1035mm	525mm	397mm
400 Fireslide	1.2kW	4.0kW	1.6kW	5.3kW	84.5%	Fireslide	556mm	566mm	400mm	435mm	340mm	-	Wall mounted or Hearth	574mm	446mm	292mm
400 Remote	2.1kW	4.0kW	1.6kW	5.3kW	84.5%	Remote	556mm	566mm	400mm	435mm	340mm	-	Wall mounted or Hearth	574mm	446mm	292mm
500 Fireslide	1.8kW	4.0kW	2.7kW	5.55kW	80%	Fireslide	556mm	566mm	500mm	535mm	315mm	-	Wall mounted or Hearth	574mm	546mm	267mm
500 Remote	1.8kW	4.0kW	3.0kW	5.55kW	80%	Remote	556mm	566mm	500mm	535mm	315mm	-	Wall mounted or Hearth	574mm	546mm	267mm
600 Fireslide	1.5kW	4.0kW	2.4kW	6.0kW	75%	Fireslide	450mm	460mm	600mm	635mm	340mm	-	Wall mounted or Hearth	470mm	646mm	293mm
600 Remote	1.5kW	4.0kW	2.4kW	6.0kW	75%	Remote	450mm	460mm	600mm	635mm	340mm	-	Wall mounted or Hearth	470mm	646mm	293mm
800 Fireslide	1.6kW	4.6kW	2.4kW	6.4kW	80%	Fireslide	450mm	460mm	800mm	835mm	340mm	-	Wall mounted or Hearth	470mm	846mm	293mm
800 Remote	1.6kW	4.6kW	2.4kW	6.4kW	80%	Remote	450mm	460mm	800mm	835mm	340mm	-	Wall mounted or Hearth	470mm	846mm	293mm
1000 Fireslide	1.9kW	4.9kW	2.8kW	6.95kW	79%	Fireslide	450mm	460mm	922mm	957mm	340mm	-	Wall mounted or Hearth	470mm	968mm	293mm
1000 Remote	1.7kW	4.9kW	2.5kW	6.95kW	79%	Remote	450mm	460mm	922mm	957mm	340mm		Wall mounted or Hearth	470mm	968mm	293mm

Important Notice: All dimensions stated within the specification table are intended as guidance only. Please consult installation instructions before commencing any building work. The right to change specification without prior notice is reserved. No liability is accepted for problems caused by poor installation or misuse of product. * These are Inspire Stove appliance dimensions allowing for clearances into a non combustable fireplace opening.



Gather Hood Connector Kits

For added flexibility of installation, all models (excluding stoves), come with the option of a gather hood connector kit, designed exclusively for the Inspire collection, which allows the fire to connect to a flexible flue system.

Product Code	Description
061621	Gather Hood Connector Kit - 500
061638	Gather Hood Connector Kit – 400 & 600
061645	Gather Hood Connector Kit – 800 & 1000

Terms & Conditions

Valor's policy is one of continual improvement and development. The right to change specification without prior notice is reserved, therefore the actual product may change and so the image shown may not be an exact representation. All images within the brochure were correct at the time of print. Reproduction of colours is as accurate as the photographic processes will allow.

Though accurate at the time of printing, this brochure is not intended to replace the installation manual which provides more detailed information. The statutory rights of the consumer are not affected. No liability will be accepted for problems caused by poor installation or misuse of the product.



All our products carry the CE Mark complying with European safety standards.



Our products are made in accordance with Quality Management System Standard ISO 9001.

I N S P I R E




Valor is a Glen Dimplex Heating & Ventilation Brand Millbrook House, Grange Drive, Hedge End, Southampton S030 2DF

tel: 0344 879 3588

email: customer.services@glendimplex.com

website: www.valor.co.uk



f Valor Fires

V0054/0219