



 **valor**centre

The **Fire**
Collection





Combining affordable heating solutions with stylish design for modern living, Valor is one of the most trusted names in home heating. With a heritage dating back to 1890, Valor's pioneering technology and continued dedication and commitment to energy and cost efficiency has led the brand to become one of the largest home heating solution providers in the UK, with an extensive collection that includes a range of gas fires, stoves and electric fires.

This continued innovation is what sets us apart from other manufacturers. Today, Valor is proud to be part of Glen Dimplex Heating & Ventilation (GDHV), a division within the multi-national Glen Dimplex Group, with some of the best research, development and manufacturing facilities in the world, helping to make sure we remain at the forefront of domestic heating technology.

With an abundance of information to digest, we understand it's not always an easy task to choose the right fire for your home. With a vast array of fire types, not to mention the complexities of chimney installations, sometimes you need a helping hand to advise you through the process.

That's why we have worked closely with some of the leading independent fire and fireplace retailers across the UK to create a network of over 400 Valor Centres, perfectly placed to offer you the expert advice and individual service you demand.

As well as guiding you through every step of your fire purchase and installation, Valor Centres have access to an exclusive range of gas and electric fires from Valor which are not available anywhere else on the high street.

It means you can be sure of the very latest technology, energy efficient performance and flexible installation options – not to mention a wide choice of designs to suit every household.

What's more, because we are so confident in the ability of our Valor Centre retailers to recommend, supply and install the correct product in a safe manner, all Valor Centre products also come with an exclusive, extended THREE YEAR warranty – so you can rest assured that if anything does go wrong, we're with you all the way.

Contents

Introduction	2	Airflame Gas Fires Introduction	27	Dimension Electric Fires Introduction	49
Contents	3	Airflame Convector Full Trim Bauhaus	28	Alton Dimension	50
A Simple Guide	4	Airflame Convector Full Trim Alton	30	Bauhaus Dimension	51
Homeflame Gas Fires Introduction	5	Airflame Convector Inlay Trim Clifton	31	Clifton Dimension	53
Trueflame Full Depth Homeflame Half Trim Alton	6	Airflame Convector Inlay Trim Alton	32	Excelsior Slimline Dimension	54
Trueflame Full Depth Homeflame Half Trim Bauhaus	8	Airflame Convector Full Trim Bauhaus	33	Masquerade Slimline Dimension	55
Trueflame Full Depth Homeflame Full Trim Alton	9	Airflame Convector Full Trim Bramford	34	Petrus Slimline Dimension	56
Trueflame Full Depth Homeflame Full Trim Clifton	10	Airflame Convector Blakely	35	Technical Information	57
Classica Full Depth Homeflame	12	Airflame Convector Bloomsbury	36	Technology	58
Excelsior Full Depth Homeflame	13	Blakely Landscape Gas Fire Introduction	37	Trueflame and Airflame Mix & Match Options	59
Masquerade Full Depth Homeflame	14	Blakely Landscape	38	Fireplace Openings	60
Excelsior Slimline Homeflame	15	Balanced Flue Gas Fires Introduction	40	Technical Information	61
Masquerade Slimline Homeflame	16	Excelsior Balanced Flue	41		
Convector Gas Fires Introduction	17	Masquerade Balanced Flue	42		
Trueflame Full Depth Convector Half Trim Clifton	18	Gas Stoves Introduction	43		
Trueflame Full Depth Convector Half Trim Alton	20	Brunswick Gas Stove	44		
Trueflame Full Depth Convector Full Trim Bauhaus	21	Ridlington Gas Stove Coals	45		
Trueflame Full Depth Convector Full Trim Clifton	22	Ridlington Gas Stove Logs	46		
Excelsior Full Depth Convector	23	Radiant Gas Fire Introduction	47		
Masquerade Full Depth Convector	24	Helmsley Radiant Gas Fire	48		
Excelsior Slimline Convector	25				
Masquerade Slimline Convector	26				

A simple guide for choosing the correct fire for your home


With the many advancements in fire technology it is easy to get confused. We have laid out the Valor range options in an easy to view matrix, so you can compare the product offers and pick the one perfect for you and your home. Generally fires are powered by mains gas or electricity, the options for selecting a fire may start here. If like many homes in the UK you have access to gas and electricity, your next consideration is likely to be the availability of a chimney or flue.

Full Depth Homeflame

Efficiency: 85%
Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Slimline Homeflame

Efficiency: 80%
Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Balanced Flue

Efficiency: 84%
Mains Gas

BC PF PCF NC
● ● ● ●

- No chimney needed
- Living flame effect
- High output




Full Depth Convector

Efficiency: 64%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Slimline Convector

Efficiency: 61%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Dimension Slimline Electric

Efficiency: 100%
No Gas Needed

BC PF PCF NC
● ● ● ●

- Holographic technology
- Best electric flame effect
- Flat wall fit required



Radiant

Efficiency: 81%
Mains Gas

BC PF PCF NC
● ● ● ●

- Traditional look
- Value product
- High output




Gas Stoves

Efficiency: 77 - 81%
Carbon neutral


BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Choice of designs



What type of chimney does your home have?

Look at the pictures and decide which one best matches the chimney at your home then, when you're reading through our brochure and find a fire you like, simply check in the features section of the page under 'Chimney Required', to see if it's suitable for the chimney at your property.




No Chimney (NC)

Even if you have no chimney or flue we have a selection of fires for you. Our balanced flue and electric fires are the solution here.




Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



Pre-fabricated Flue (PF)

Suitable for most fires, dependent on the flue depth and diameter.



Pre-cast Flue (PCF)

Suitable for a wide range of slimline, outset & radiant gas fires.

Homeflame Gas Fires


The Valor Homeflame range of gas fires lead the way in the effective use of energy - good news for the environment and great news for you as this means they are cheaper to run.

For those rooms that require more heat, the full depth Homeflame engine is the perfect choice. This glass fronted inset gas fire comes in a choice of exclusive Valor Centre models. The Excelsior, Masquerade and Classica models all come with a polished cast fascia, whilst the Trueflame model offers a choice of trims and frets for increased flexibility.

Combining a realistic coal effect fuel bed with a super efficiency of 85%, the full depth Homeflame engine can deliver a generous heat output of 3.85kW and comes complete with Fireslide control for easy operation. Available in natural gas, the Homeflame full depth range is suitable for brick chimneys and pre-fabricated flues.

The Homeflame range is also available in slimline models - Excelsior & Masquerade. This gas fire offers a super high efficiency of 89% together with 3.1kW heat output and due to its slimline design is suitable for all chimney installations. The slimline model comes with a rear glass panel and reflective sides which gives the illusion of a deeper fuel bed and also features Fireslide control.

All models come with a three year warranty.



Fireplace opening

Full Depth

Height: Min 555mm – Max 575mm

Width: Min 405mm – Max 457mm

Depth: Min 225mm

Slimline

Height: Min 540mm – Max 580mm

Width: Min 305mm – Max 430mm


Depth: Min 115mm

Fireslide control




Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



Pre-fabricated Flue (PF)

Suitable for most fires, dependent on the flue depth and diameter.



Pre-cast Flue (PCF)

Suitable for slimline models.

FireSlide®



Trueflame
MIX & MATCH



Trueflame FD Homeflame Half Trim - Alton Chrome



Trueflame

Full Depth Homeflame

Half Trim Alton

Features:

Max Heat Output: 3.85kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD)

Full Trim - 621 x 522 x 186mm* (*Engine Depth)

Half Trim - 610 x 500 x 186mm* (*Engine Depth)

Chimney Required: BC, PF

Product Code	Model	Colour
0596142	Trueflame FD Homeflame Full Trim	Brass
0596152	Trueflame FD Homeflame Full Trim	Chrome
0596162	Trueflame FD Homeflame Half Trim	Brass
0596172	Trueflame FD Homeflame Half Trim	Chrome
055804	Alton Fret	Brass
055828	Alton Fret	Chrome
055842	Bauhaus Fret	Brass
055859	Bauhaus Fret	Chrome
055880	Clifton Fret	Brass
055910	Clifton Fret	Chrome



Full Trim Alton Brass



Full Trim Alton Chrome



Half Trim Alton Brass



Half Trim Alton Chrome



Full Trim Bauhaus Brass



Full Trim Bauhaus Chrome



Half Trim Bauhaus Brass



Half Trim Bauhaus Chrome



Full Trim Clifton Brass



Full Trim Clifton Chrome



Half Trim Clifton Brass



Half Trim Clifton Chrome



Trueflame FD Homeflame Half Trim - Bauhaus Brass

Trueflame Full Depth Homeflame Half Trim Bauhaus

Features:

Max Heat Output: 3.85kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 610 x 500 x 186mm*

Chimney Required: BC, PF

* Engine depth

Product Code	Model	Colour
0596162	TF FD HE Half Trim	Brass
0596172	TF FD HE Half Trim	Chrome
055842	Bauhaus Fret	Brass
055859	Bauhaus Fret	Chrome



Bauhaus Chrome

Trueflame Full Depth Homeflame Full Trim Alton

Features:

Max Heat Output: 3.85kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 621 x 522 x 186mm*

Chimney Required: BC, PF

* Engine depth

Product Code	Model	Colour
0596142	TF FD HE Full Trim	Brass
0596152	TF FD HE Full Trim	Chrome
055804	Alton Fret	Brass
055828	Alton Fret	Chrome



Alton Chrome



Trueflame FD Homeflame Full Trim - Alton Brass

Trueflame
MIX & MATCH



Trueflame

Full Depth Homeflame

Full Trim Clifton

Features:

Max Heat Output: 3.85kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD)

Full Trim - 621 x 522 x 186mm* (*Engine Depth)

Half Trim - 610 x 500 x 186mm* (*Engine Depth)

Chimney Required: BC, PF

Product Code	Model	Colour
0596142	Trueflame FD Homeflame Full Trim	Brass
0596152	Trueflame FD Homeflame Full Trim	Chrome
0596162	Trueflame FD Homeflame Half Trim	Brass
0596172	Trueflame FD Homeflame Half Trim	Chrome
055804	Alton Fret	Brass
055828	Alton Fret	Chrome
055842	Bauhaus Fret	Brass
055859	Bauhaus Fret	Chrome
055880	Clifton Fret	Brass
055910	Clifton Fret	Chrome



Full Trim Alton Brass



Full Trim Alton Chrome



Half Trim Alton Brass



Half Trim Alton Chrome



Full Trim Bauhaus Brass



Full Trim Bauhaus Chrome



Half Trim Bauhaus Brass



Half Trim Bauhaus Chrome



Full Trim Clifton Brass



Full Trim Clifton Chrome



Half Trim Clifton Brass



Half Trim Clifton Chrome



Classica Full Depth Homeflame

Features:

Max Heat Output: 3.85kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 85%

Gas Type: **NG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 631 x 540 x 186mm*

Chimney Required: **BC, PF**

* Engine depth

Product Code	Model	Colour
05961W1	Classica FD HE	Pewter



Pewter

Excelsior Full Depth Homeflame

Features:

Max Heat Output: 3.85kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 85%

Gas Type: **NG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 636 x 518 x 186mm*

Chimney Required: **BC, PF**

* Engine depth

Product Code	Model	Colour
0596132	Excelsior FD HE	Black Nickel
0596122	Excelsior FD HE	Pale Gold



Black Nickel



Pale Gold



Masquerade Full Depth Homeflame

Features:

Max Heat Output: 3.85kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 85%

Gas Type: **NG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 636 x 518 x 186mm*

Chimney Required: **BC, PF**

* Engine depth

Product Code	Model	Colour
0596112	Masquerade FD HE	Black Nickel
0596102	Masquerade FD HE	Pale Gold



Black Nickel

Pale Gold



Excelsior Slimline Homeflame

Features:

Max Heat Output: 3.1kW

Min Heat Output: 1.6kW

Nett Efficiency Rating: 80%

Gas Type: **NG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 636 x 518 x 79mm*

Chimney Required: **BC, PF, PCF**

* Engine depth

Product Code	Model	Colour
0596395	Excelsior SL HE	Black Nickel
0596394	Excelsior SL HE	Pale Gold



Pale Gold



Black Nickel





Black Nickel

Masquerade Slimline Homeflame

Features:

Max Heat Output: 3.1kW

Min Heat Output: 1.6kW

Nett Efficiency Rating: 80%

Gas Type: **NG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 636 x 518 x 79mm*

Chimney Required: **BC, PF, PCF**

* Engine depth

Product Code	Model	Colour
0596393	Masquerade SL HE	Black Nickel
0596392	Masquerade SL HE	Pale Gold



Pale Gold

Convector Gas Fires


The full depth convector range is the ideal choice for when heat distribution is a key priority when choosing a gas fire.

This model offers both radiant and Activeheat™ though means of convection and delivers an impressive heat output of 4.0kW, with a 64% efficiency, the full depth convector is the ideal centrepiece for any room set and comes complete with Fireslide control for easy operation.

This open inset fire promises the flame realism of a real fire - courtesy of its deep, realistic coal effect fuel bed and warm glow - and comes in a choice of three exclusive Valor Centre models; Excelsior, Masquerade and Trueflame. The Trueflame model comes with a choice of trims and frets for added flexibility and choice, whilst the Excelsior and Masquerade come with a polished cast fascia in a choice of black nickel or pale gold.

The full depth convector gas fire is suitable for homes with a brick built chimney and pre-fabricated flues. In addition, the convector engine is also available in a slimline version - Excelsior & Masquerade, which is suitable for all chimney installations and provides 3.3kW heat output with 61% efficiency and also has Fireslide control.

All models are available in natural gas, with the option to convert to LPG with the LPG kit and come with a three year warranty.



Fireplace opening

Full Depth

Height: Min 555mm – Max 575mm

Width: Min 405mm – Max 457mm

Depth: Min 285mm

Slimline

Height: Min 545mm – Max 575mm

Width: Min 335mm – Max 435mm


Depth: Min 235mm

Fireslide control




Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



Pre-fabricated Flue (PF)

Suitable for most fires, dependent on the flue depth and diameter.



Pre-cast Flue (PCF)

Suitable for slimline models.

FireSlide®



Trueflame
MIX & MATCH



Trueflame FD Convector Half Trim - Clifton Chrome



Trueflame

Full Depth Convector

Half Trim Clifton

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD)

Full Trim - 621 x 522 x 235mm* (*Engine Depth)

Half Trim - 610 x 500 x 235mm* (*Engine Depth)

Chimney Required: BC, PF

Product Code	Model	Colour
0594062	Trueflame FD Convector Full Trim	Brass
0594072	Trueflame FD Convector Full Trim	Chrome
0594082	Trueflame FD Convector Half Trim	Brass
0594092	Trueflame FD Convector Half Trim	Chrome
055804	Alton Fret	Brass
055828	Alton Fret	Chrome
055842	Bauhaus Fret	Brass
055859	Bauhaus Fret	Chrome
055880	Clifton Fret	Brass
055910	Clifton Fret	Chrome
0595211	LPG Kit	



Full Trim Alton Brass



Full Trim Alton Chrome



Half Trim Alton Brass



Half Trim Alton Chrome



Full Trim Bauhaus Brass



Full Trim Bauhaus Chrome



Half Trim Bauhaus Brass



Half Trim Bauhaus Chrome



Full Trim Clifton Brass



Full Trim Clifton Chrome



Half Trim Clifton Brass



Half Trim Clifton Chrome



Trueflame FD Convector Half Trim - Alton Brass

Trueflame Full Depth Convector Half Trim Alton

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD) 610 x 500 x 235mm*

Chimney Required: BC, PF

* Engine depth

Product Code	Model	Colour
0594082	TF FD Con Half Trim	Brass
0594092	TF FD Con Half Trim	Chrome
055804	Alton Fret	Brass
055828	Alton Fret	Chrome
0595211	LPG Kit	



Alton Chrome

Trueflame Full Depth Convector Full Trim Bauhaus

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD) 621 x 522 x 235mm*

Chimney Required: BC, PF

* Engine depth

Product Code	Model	Colour
0594062	TF FD Con Full Trim	Brass
0594072	TF FD Con Full Trim	Chrome
055842	Bauhaus Fret	Brass
055859	Bauhaus Fret	Chrome
0595211	LPG Kit	



Bauhaus Brass



Trueflame FD Convector Full Trim - Bauhaus Chrome



Trueflame FD Convector Full Trim - Clifton Brass

Trueflame Full Depth Convector Full Trim Clifton

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD) 621 x 522 x 235mm*

Chimney Required: BC, PF

* Engine depth

Product Code	Model	Colour
0594062	TF FD Con Full Trim	Brass
0594072	TF FD Con Full Trim	Chrome
055880	Clifton Fret	Brass
055910	Clifton Fret	Chrome
0595211	LPG Kit	



Clifton Chrome



Excelsior Full Depth Convector

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 64%

Gas Type: **NG & LPG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 636 x 518 x 235mm*

Chimney Required: **BC, PF**

* Engine depth

Product Code	Model	Colour
0594032	Excelsior FD Con	Black Nickel
0594022	Excelsior FD Con	Pale Gold
0595211	LPG Kit	



Pale Gold



Black Nickel



Black Nickel

Masquerade Full Depth Convector

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 64%

Gas Type: **NG & LPG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 636 x 518 x 235mm*

Chimney Required: **BC, PF**

* Engine depth

Product Code	Model	Colour
0594012	Masquerade FD Con	Black Nickel
0594002	Masquerade FD Con	Pale Gold
0595211	LPG Kit	



Pale Gold

Excelsior Slimline Convector

Features:

Max Heat Output: 3.3kW

Min Heat Output: 1.35kW

Nett Efficiency Rating: 61%

Gas Type: **NG & LPG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 636 x 518 x 135mm*

Chimney Required: **BC, PF, PCF**

* Engine depth

Product Code	Model	Colour
0595351	Excelsior SL Con	Black Nickel
0595341	Excelsior SL Con	Pale Gold
0595221	LPG Kit	



Black Nickel



Pale Gold



Pale Gold

Masquerade Slimline Convector

Features:

Max Heat Output: 3.3kW

Min Heat Output: 1.35kW

Nett Efficiency Rating: 61%

Gas Type: **NG & LPG**

Control Type: **Fireslide**

Dimensions: (HxWxD) 636 x 518 x 135mm*

Chimney Required: **BC, PF, PCF**

* Engine depth

Product Code	Model	Colour
0595331	Masquerade SL Con	Black Nickel
0595321	Masquerade SL Con	Pale Gold
0595221	LPG Kit	



Black Nickel

Airflame Convector Gas Fires Airflame


Valor's revolutionary Airflame engine is still recognised as the best burner on the market. Its unique ceramic burner delivers an ambient flame effect previously only achieved by real fires, making it the ideal choice for those looking for a striking centre piece for any room.

As part of its Valor Centre collection, Valor now offers a mix and match range with a choice of frets and trims, including a range of frets exclusive to Valor Centres. The Blakely and Bloomsbury fascia options are also available for even greater flexibility.

As well as boasting distinctive aesthetics and the Airflame technology, each fire offers a heat efficiency of 59% and 3.7kW heat output and comes with a choice of manual or remote control options. ActiveHeat™ functionality ensures that any room is heated much quicker than by radiant heat alone, drawing cold air from the room and passing through the heat exchanger.

Suitable for brick chimneys and pre-cast flues, the Airflame range is available in natural gas with an optional LPG conversion kit.

All models come with a three year warranty.



Fireplace opening

Airflame

Height: Min 560mm – Max 585mm


Width: Min 415mm – Max 495mm

Depth: Min 305mm



Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



Pre-fabricated Flue (PF)

Suitable for most fires, dependent on the flue depth and diameter.

Manual control



Remote control



airflame
MIX & MATCH



Airflame Full Trim - Bauhaus Chrome

Airflame Convector

Full Trim Bauhaus

Features:

Max Heat Output: **3.7kW**

Min Heat Output: **Manual - 2.4kW, Remote - 1.85kW**

Nett Efficiency Rating: **59%**

Gas Type: **NG & LPG**

Control Type: **Manual & Remote Control**

Dimensions: (HxWxD) **600 x 522 x 254mm***

Chimney Required: **BC, PF**

* Engine depth

Product Code	Model	Colour
0505501	Airflame Manual Convector Full Trim	Brass
0505502	Airflame Manual Convector Full Trim	Chrome
0505503	Airflame Manual Convector Inlay Trim	Brass
0505505	Airflame Manual Convector Inlay Trim	Chrome
0505703	Airflame Remote Convector Full Trim	Brass
0505704	Airflame Remote Convector Full Trim	Chrome
0505706	Airflame Remote Convector Inlay Trim	Brass
0505707	Airflame Remote Convector Inlay Trim	Chrome
055804	Alton Fret	Brass
055828	Alton Fret	Chrome
055842	Bauhaus Fret	Brass
055859	Bauhaus Fret	Chrome
055880	Clifton Fret	Brass
055910	Clifton Fret	Chrome
9500365	LPG Kit Manual	Brass
9500376	LPG Kit Remote	Chrome



Full Trim Alton Brass



Full Trim Alton Chrome



Inlay Trim Alton Brass



Inlay Trim Alton Chrome



Full Trim Bauhaus Brass



Full Trim Bauhaus Chrome



Inlay Trim Bauhaus Brass



Inlay Trim Bauhaus Chrome



Full Trim Clifton Brass



Full Trim Clifton Chrome



Inlay Trim Clifton Brass



Inlay Trim Clifton Chrome



Airflame Full Trim - Alton Brass

Airflame Convector Full Trim Alton

Features:

Max Heat Output: 3.7kW

Min Heat Output: MC - 2.4kW, RC - 1.85kW

Nett Efficiency Rating: 59%

Gas Type: NG & LPG

Control Type: Manual & Remote Control

Dimensions: (HxWxD) 600 x 522 x 254mm*

Chimney Required: BC, PF

* Engine depth

Product Code	Model	Colour
0505501	AF Manual Full Trim	Brass
0505502	AF Manual Full Trim	Chrome
0505703	AF Remote Full Trim	Brass
0505704	AF Remote Full Trim	Chrome
055804	Alton Fret	Brass
055828	Alton Fret	Chrome
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Alton Chrome

Airflame Convector Inlay Trim Clifton

Features:

Max Heat Output: 3.7kW

Min Heat Output: MC - 2.4kW, RC - 1.85kW

Nett Efficiency Rating: 59%

Gas Type: NG & LPG

Control Type: Manual & Remote Control

Dimensions: (HxWxD) 600 x 522 x 254mm*

Chimney Required: BC, PF

*** Engine depth**

Product Code	Model	Colour
0505503	AF Manual Inlay Trim	Brass
0505505	AF Manual Inlay Trim	Chrome
0505706	AF Remote Inlay Trim	Brass
0505707	AF Remote Inlay Trim	Chrome
055880	Clifton Fret	Brass
055910	Clifton Fret	Chrome
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Clifton Brass



Airflame Inlay Trim - Clifton Chrome



Airflame Convector Inlay Trim Alton

Features:

Max Heat Output: 3.7kW

Min Heat Output: MC - 2.4kW, RC - 1.85kW

Nett Efficiency Rating: 59%

Gas Type: NG & LPG

Control Type: Manual & Remote Control

Dimensions: (HxWxD) 600 x 522 x 254mm*

Chimney Required: BC, PF

* Engine depth

Product Code	Model	Colour
0505503	AF Manual Inlay Trim	Brass
0505505	AF Manual Inlay Trim	Chrome
0505706	AF Remote Inlay Trim	Brass
0505707	AF Remote Inlay Trim	Chrome
055804	Alton Fret	Brass
055828	Alton Fret	Chrome
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Alton Chrome

Airflame Inlay Trim - Alton Brass

Airflame Convector Full Trim Bauhaus

Features:

Max Heat Output: 3.7kW

Min Heat Output: MC - 2.4kW, RC - 1.85kW

Nett Efficiency Rating: 59%

Gas Type: **NG & LPG**

Control Type: **Manual & Remote Control**

Dimensions: (HxWxD) 608 x 525 x 254mm*

Chimney Required: **BC, PF**

* Engine depth

Product Code	Model	Colour
0505508	AF Manual Full Trim	Black Nickel
0505509	AF Manual Full Trim	Pale Gold
0505710	AF Remote Full Trim	Black Nickel
0505712	AF Remote Full Trim	Pale Gold
5120251	Bauhaus Fret	Black Nickel
5135659	Bauhaus Fret	Pale Gold
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Bauhaus Pale Gold



Airflame Full Trim - Bauhaus Black Nickel





Airflame Convector Full Trim Bramford

Features:

Max Heat Output: 3.7kW

Min Heat Output: MC - 2.4kW, RC - 1.85kW

Nett Efficiency Rating: 59%

Gas Type: **NG & LPG**

Control Type: **Manual & Remote Control**

Dimensions: (HxWxD) 608 x 525 x 254mm*

Chimney Required: **BC, PF**

* Engine depth

Product Code	Model	Colour
0505508	AF Manual Full Trim	Black Nickel
0505509	AF Manual Full Trim	Pale Gold
0505710	AF Remote Full Trim	Black Nickel
0505712	AF Remote Full Trim	Pale Gold
01/81352/2	Bramford Fret	Black Nickel
01/81352/1	Bramford Fret	Pale Gold
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Bramford Black Nickel

Airflame Full Trim - Bramford Pale Gold



Airflame Convector Blakely

Features:

Max Heat Output: 3.7kW

Min Heat Output: 1.85kW

Nett Efficiency Rating: 59%

Gas Type: NG & LPG

Control Type: Remote Control

Dimensions: (HxWxD)

Fascia - 638 x 580 x 100mm

Engine Depth - 254mm

Chimney Required: BC, PF

Product Code	Model	Colour
0505731	AF Remote Blakely	Brushed Chrome
9500376	LPG Kit	



Brushed Chrome





Airflame Convector Bloomsbury

Features:

Max Heat Output: 3.7kW

Min Heat Output: 1.85kW

Nett Efficiency Rating: 59%

Gas Type: **NG & LPG**

Control Type: **Remote Control**

Dimensions: (HxWxD)

Fascia - 740 x 632 x 69mm

Engine Depth - 254mm

Chimney Required: **BC, PF**

Product Code	Model	Colour
0505741	AF Remote Bloomsbury	Black/Silver
9500376	LPG Kit	



Black/Silver

Blakely Landscape Gas Fire


Combining ultra contemporary good looks with high heat efficiency, the Blakely Landscape gas fire will help transform your living area into an oasis of style and an up to the minute design statement.

The Blakely Landscape gas fire combines a realistic driftwood/pebble effect fuel bed with a distinctive fascia in brushed chrome, which makes it a striking centre-piece for all rooms.

This Valor Centre exclusive combines a distinctive landscape design and can be either floor or wall-mounted to suit individual style and preference. If wall-mounted the fire would require a plinth to support the fret/ashpan which is not attached to fire.

Offering a high heat efficiency of 84% and an impressive 4.3kW heat output, the Blakely is suitable for brick chimneys and comes complete with remote control and an optional LPG conversion kit is also available for this model.

This model comes with a three year warranty.



Fireplace opening

Radiant

Height: Min 542mm – Max 585mm

Width: Min 675mm – Max 750mm

Depth: Min 355mm



Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.

Remote control





Blakely Landscape

Features:

Max Heat Output: 4.3kW

Min Heat Output: Remote - 1.4kW

Nett Efficiency Rating: 84%

Gas Type: NG & LPG

Control Type: Remote Control

Dimensions: (HxWxD)

Fascia - 680 x 930 x 128mm

Engine Depth - 312mm

Chimney Required: BC

Product Code	Model	Colour
05762T1	Blakely Landscape	Brushed Chrome
0595271	LPG Kit	



Brushed Chrome




Balanced Flue Gas Fires

For those homes without a chimney and not wanting to compromise on good looks or efficiency, balanced flue gas fires are the perfect choice.

These glass fronted fires only require an outside wall and gas supply, with no need for an electric supply, offering even greater flexibility when deciding where to locate your fire. As well as offering a realistic coal effect fuel bed and flames, our balanced flue range delivers excellent heat efficiency of 84% and a heat output of 2.8kW.


The Excelsior and Masquerade Balanced Flue models are available exclusively through Valor Centre retailers, and come in a choice of either pale gold or black nickel cast fascia with top control for ease of operation. To assist with installation, additional spacer kits in 3" and 5" are available.

All models come with a three year warranty.



Fireplace opening

Please refer to installation instructions for detailed technical information.



No Chimney (NC)

Our balanced flue range of gas fires are suitable for those homes that do not have a chimney or flue.

Top control



Excelsior Balanced Flue

Features:

Max Heat Output: 2.8kW

Min Heat Output: 1.1kW

Nett Efficiency Rating: 84%

Gas Type: **NG**

Control Type: **Top Control**

Dimensions: (HxWxD) 636 x 518 x 110mm

Chimney Required: **No chimney required**

Product Code	Model	Colour
0554116	Excelsior BF	Black Nickel
0554115	Excelsior BF	Pale Gold
0595131	3" Spacer Kit	
0595121	5" Spacer Kit	



Pale Gold



Black Nickel



Masquerade Balanced Flue

Features:

Max Heat Output: 2.8kW

Min Heat Output: 1.1kW

Nett Efficiency Rating: 84%

Gas Type: **NG**

Control Type: **Top Control**

Dimensions: (HxWxD) 636 x 518 x 110mm

Chimney Required: **No chimney required**

Product Code	Model	Colour
0554114	Masquerade BF	Black Nickel
0554113	Masquerade BF	Pale Gold
0595131	3" Spacer Kit	
0595121	5" Spacer Kit	



Black Nickel



Pale Gold


Gas Stoves Gas Stoves Gas Stoves

The exclusive Valor Centre gas stove range adds warmth and character to any room without compromising on functionality or heat output.

With a realistic flame effect, the Ridlington and Brunswick gas stoves offer a low maintenance alternative to solid fuel stoves; delivering all the aesthetic benefits of solid fuel but with increased efficiency and greater convenience. As well as looking stylish, the Ridlington comes with the choice of either coal or log effect fuel bed, and delivers an impressive heat efficiency of 77% and a heat output of 4.7kW – available with manual or remote control operation.

The Brunswick gas stove offers a superb 4.0kW heat output with 81% efficiency for exceptional heating performance, as well as a side manual variable control. Ideally sized to heat living spaces, the traditionally styled, black cast iron design ensures that these gas stoves will create a stunning centrepiece in any room. The Brunswick and Ridlington are both available in natural gas and coal fuel bed models have an option to convert to LPG if required.

All models come with a three year warranty.



Fireplace opening

Please refer to installation instructions for detailed technical information.



Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.

Remote control





Brunswick Gas Stove

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.6kW

Nett Efficiency Rating: 81%

Gas Type: **NG & LPG**

Control Type: **Manual Control**

Dimensions: (HxWxD) 630 x 390 x 440mm

Chimney Required: **BC - Top flue (4")**

Product Code	Model	Colour
05910X2	Brunswick Gas Stove	Black
0591011	LPG Kit	



Black



Please note that flue pipe is not supplied with the Brunswick gas stove

Ridlington Gas Stove Coals

Features:

Max Heat Output: 4.7kW

Min Heat Output: MC - 1.6kW, RC - 2.3kW

Nett Efficiency Rating: 77%

Gas Type: **NG & LPG**

Control Type: **Manual & Remote Control**

Dimensions: (HxWxD) 650 x 530 x 415mm

Chimney Required: **BC - Top flue (5")**

Product Code	Model	Colour
05944X1	Ridlington Coal Manual	Black
05944X5	Ridlington Coal Remote	Black
0595261	LPG Kit	



Black



Please note that flue pipe is not supplied with the Ridlington gas stove



Ridlington Gas Stove Logs

Features:

Max Heat Output: 4.7kW

Min Heat Output: MC - 1.6kW, RC - 2.3kW

Nett Efficiency Rating: 77%

Gas Type: NG

Control Type: Manual & Remote Control

Dimensions: (HxWxD) 650 x 530 x 415mm

Chimney Required: BC - Top flue (5")

Product Code	Model	Colour
05944X6	Ridlington Logs Manual	Black
05944X7	Ridlington Logs Remote	Black



Black

Please note that flue pipe is not supplied with the Ridlington gas stove

Radiant Gas Fires


When reliability and performance is the key requirement, look no further than the Helmsley radiant gas fire, available exclusively through Valor Centres.

Providing both radiant and convected heat, the Helmsley model boasts an exceptional heat output of 4.0kW and is 81% efficient, making it ideal for homes that rely heavily on fires as a primary source of heat.

A state-of-the-art Duplex Burner not only helps facilitate control of the radiants, it helps deliver improved heat efficiency. The Duplex burner features four control positions that enable either all radiants to be switched on, or just the centre radiants switched on at low or high settings.

Offering the ultimate in controllability, this model features a top-positioned electronic ignition for ease of access and use. Suitable for brick chimneys, pre-fabricated and precast flues, Helmsley also features a flame safety device and can be either hearth or wall-mounted.

The Helmsley comes with a three year warranty.



Fireplace opening

Radiant

Height: Min 525mm – Max 610mm


Width: Min 305mm – Max 440mm

Depth: Min 165mm




Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



Pre-fabricated Flue (PF)

Suitable for most fires, dependent on the flue depth and diameter.



Pre-cast Flue (PCF)

Suitable for a wide range of slimline, outset & radiant gas fires.

Top Electronic Control





Helmsley Radiant Gas Fire

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 81%

Gas Type: **NG**

Control Type: **Electronic Top Control**

Dimensions: (HxWxD) 630 x 657 x 225mm

Chimney Required: **PF, BC, PCF**

Product Code	Model	Colour
0534781	Helmsley Radiant	Black/Chrome



Black/Chrome

Dimension Electric Fires


The Dimension range of electric fires uses patented hologram technology to deliver a truly realistic flame effect. This unique technology uses 3D holographic imagery and LED lighting to project an illuminated coal fuelbed image, which appears up to three times deeper than the fire's physical depth.

Boasting 100% efficiency at point of use, the Dimension range combines all the warmth, comfort and visual appeal of a real fire with the fuss-free installation and easy maintenance you can expect from an electric fire; all whilst offering a heat output of 1.35kW. The flame effect can also be enjoyed independently of the heat for a warming glow all year round.

Dimension models exclusively available through Valor Centre retailers include Excelsior, Masquerade and Petrus Slimline - in a choice of cast fascias finishes. The Alton, Bauhaus and Clifton models come complete with a trim and fret and are ideal for those seeking a more classic or contemporary look.


Dimension electric fires come complete with remote control operation and a thermal safety cut-out function. Additional spacer kits are available for ease of installation.

All models come with a three year warranty.



Fireplace opening

Please refer to installation instructions for detailed technical information.



No Chimney (NC)

No chimney or flue required for the Dimension range of electric fires.

Remote control



DIMENSION





Alton Slimline Dimension Electric Fire

Features:

Max Heat Output: 1.35kW

Min Heat Output: 0.68kW

Nett Efficiency Rating: 100%

LED Lights: **Yes**

Control Type: **Remote Control**

Dimensions: (HxWxD) 612 x 505 x 70mm

Chimney Required: **No chimney or flue required**

Product Code	Model	Colour
0585000	Alton Dimension	Brass
0585010	Alton Dimension	Chrome
053503	Additional Spacer Kit	Black



Chrome

Brass



Bauhaus Slimline Dimension Electric Fire

Features:

Max Heat Output: 1.35kW

Min Heat Output: 0.68kW

Nett Efficiency Rating: 100%

LED Lights: **Yes**

Control Type: **Remote Control**

Dimensions: (HxWxD) 612 x 505 x 70mm

Chimney Required: **No chimney or flue required**

Product Code	Model	Colour
0585020	Bauhaus Dimension	Brass
0585030	Bauhaus Dimension	Chrome
053503	Additional Spacer Kit	Black



Brass



Chrome





Clifton Slimline Dimension Electric Fire

Features:

Max Heat Output: 1.35kW

Min Heat Output: 0.68kW

Nett Efficiency Rating: 100%

LED Lights: **Yes**

Control Type: **Remote Control**

Dimensions: (HxWxD) 612 x 505 x 70mm

Chimney Required: **No chimney or flue required**

Product Code	Model	Colour
0585060	Clifton Dimension	Brass
0585070	Clifton Dimension	Chrome
053503	Additional Spacer Kit	Black



Chrome

Brass



Excelsior Slimline Dimension Electric Fire

Features:

Max Heat Output: 1.35kW

Min Heat Output: 0.68kW

Nett Efficiency Rating: 100%

LED Lights: **Yes**

Control Type: **Remote Control**

Dimensions: (HxWxD) 636 x 518 x 70mm

Chimney Required: **No chimney or flue required**

Product Code	Model	Colour
0585052	Excelsior	Black Nickel
0585062	Excelsior	Pale Gold
0582631	Curved Spacer Kit	



Pale Gold

Black Nickel





Masquerade Slimline Dimension Electric Fire

Features:

Max Heat Output: 1.35kW

Min Heat Output: 0.68kW

Nett Efficiency Rating: 100%

LED Lights: **Yes**

Control Type: **Remote Control**

Dimensions: (HxWxD) 636 x 518 x 70mm

Chimney Required: **No chimney or flue required**

Product Code	Model	Colour
0585072	Masquerade	Black Nickel
0585082	Masquerade	Pale Gold
0582631	Curved Spacer Kit	



Black Nickel

Pale Gold



Petrus Slimline Dimension Electric Fire

Features:

Max Heat Output: 1.35kW

Min Heat Output: 0.68kW

Nett Efficiency Rating: 100%

LED Lights: **Yes**

Control Type: **Remote Control**

Dimensions: (HxWxD) 636 x 518 x 70mm

Chimney Required: **No chimney or flue required**

Product Code	Model	Colour
05850M1	Petrus	Black Chrome
05850N1	Petrus	Silver Chrome
0582631	Curved Spacer Kit	Black



Black Chrome

Silver Chrome





on Technical Information Technical Information Tech



Technology that provides better economy, quality and function

Controls



Manual Control

Can be found discreetly behind the fender of Inset gas fires.



Touch Control

The side positioned touch control enables easy operation.



Fireslide FireSlide®

Turn on/off or up/down from easy to use sliding control.



Remote

Control from the comfort of your armchair. Available on some gas and Dimension models.

Activeheat™

Fires with Activeheat™ give out radiant heat but also draw in cold air from the room, pass it through a heat exchanger to warm it up and then circulate it back around the room. The result is that the room is heated much faster than by radiant heat alone.



High Efficiency

Valor's dedicated research and development facility combines the latest technology with innovative techniques to ensure our products offer the highest possible efficiency.

Gas Collection - Gas fires are a great way to help to reduce the overall fuel usage in the home. They offer an effective way of heating the space you are living in which allows the central heating to be turned down or even off. Gas fires deliver heat in two modes, radiant and convection. They do not need electricity so you have a secure option for heat in power outages or boiler breakdowns. Our Homeflame range of gas fires are amongst some of the most efficient gas fires available and will help you save on running costs while our balanced flue and radiant gas fires also offer impressive efficiencies.

Electric Collection - All electric fires are 100% efficient at point of use, which means for every kW of energy used you get the same kW heat output from the fire.



Valor Centre 3 Year Guarantee

When you purchase a Valor fire, you do so with the utmost confidence that it will serve you for many years to come. Such is the confidence in our products and in our exclusive stockists, that we are able to offer an exclusive THREE-YEAR guarantee when your fire is purchased from one of our network of Valor Centres - providing the fire is serviced annually in accordance with Valor guidelines. This gives you an additional two-year's peace of mind over and above our standard guarantee, and you can relax in the knowledge that your fire has been recommended, supplied and installed by professionals and to the highest standards. To find your nearest Valor Centre, please visit www.valor.co.uk



Note: For your 3 year Valor warranty to remain valid the gas fire(s) must receive an annual service each year. The service must be carried out by a Gas Safe Registered engineer, the service log must be completed and a valid receipt retained as proof of service

Trueflame and Airflame Mix & Match Options

The 'mix and match' range of inset gas fires provides increased flexibility when it comes to choosing a gas fire. The Trueflame and Airflame ranges combine Valor's market leading engines with a wide range of trim and fret options. You can choose your Valor engine, trim and fret from the mix & match range to create your own design to suit any preference.

Trueflame
MIX & MATCH



airflame
MIX & MATCH



Trim Options



Full Trim Brass

Full Trim Chrome

Half Trim Brass

Half Trim Chrome

Trim Options




Full Trim Brass

Full Trim Chrome

Inlay Trim Brass

Inlay Trim Chrome

Fret Options



Alton Brass



Alton Chrome



Bauhaus Brass



Bauhaus Chrome




Clifton Brass



Clifton Chrome

Fireplace Openings - Gas Fires

Product Name	Height (mm)		Width (mm)		Depth (mm)	
	Min	Max	Min	Max	Min	Max
Trueflame Full Depth Homeflame Full Trim	555	575	405	457	225	-
Trueflame Full Depth Homeflame Half Trim	555	575	405	457	225	-
Classica Full Depth Homeflame	555	575	405	457	225	-
Excelsior Full Depth Homeflame	555	575	405	457	225	-
Masquerade Full Depth Homeflame	555	575	405	457	225	-
Excelsior Slimline Homeflame	540	580	305	430	115	-
Masquerade Slimline Homeflame	540	580	305	430	115	-
Trueflame Full Depth Convector Full Trim	555	575	405	457	285	-
Trueflame Full Depth Convector Half Trim	555	575	405	457	285	-
Excelsior Full Depth Convector	555	575	405	457	285	-
Masquerade Full Depth Convector	555	575	405	457	285	-
Excelsior Slimline Convector	545	575	335	435	235	-
Masquerade Slimline Convector	545	575	335	435	235	-
Airflame Convector Manual	560	585	415	495	305	-
Airflame Convector Remote	560	585	415	495	305	-
Blakely Landscape	542	585	675	750	355	
Excelsior Balanced Flue	Refer to Installation Instructions					
Masquerade Balanced Flue	Refer to Installation Instructions					
Brunswick Gas Stove	Refer to Installation Instructions					
Ridlington Gas Stove	Refer to Installation Instructions					
Helmsley Radiant	525	610	305	440	165	
Alton Slimline Dimension	Refer to Installation Instructions					
Bauhaus Slimline Dimension	Refer to Installation Instructions					
Clifton Slimline Dimension	Refer to Installation Instructions					
Excelsior Slimline Dimension	Refer to Installation Instructions					
Masquerade Slimline Dimension	Refer to Installation Instructions					
Petrus Slimline Dimension	Refer to Installation Instructions					



Note: For further details on the requirements for our range of balanced flue gas fires, stoves and electric fires, please refer to the installation instructions.

Important notice: All dimensions stated within the above table are intended as guidance only. Please consult installation instructions before commencing any building work.

Fire Surrounds: Most of the fire surrounds featured in this brochure were supplied by Trent Fireplaces. For further information, please visit www.trent-fireplaces.co.uk or call 0115 979 0330.

Technical Table

Product Name	Type	Heat Output (kWh)		Heat Input (kWh)		Nett Efficiency	Control Type	Chimney / Flue Type				Mounting	Dimensions (HxWxD*)
		Min	Max	Min	Max			Brick	Pre-Fab	Pre-Cast	None		
Trueflame Full Depth Homeflame Full Trim	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	† ✓	✗	✗	Hearth	621 x 522 x 186mm
Trueflame Full Depth Homeflame Half Trim	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	† ✓	✗	✗	Hearth	610 x 500 x 186mm
Classica Full Depth Homeflame	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	† ✓	✗	✗	Hearth	631 x 540 x 186mm
Excelsior Full Depth Homeflame	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	† ✓	✗	✗	Hearth	636 x 518 x 186mm
Masquerade Full Depth Homeflame	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	† ✓	✗	✗	Hearth	636 x 518 x 186mm
Excelsior Slimline Homeflame	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Masquerade Slimline Homeflame	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Trueflame Full Depth Convector Full Trim	Gas	1.3	4.0	2.7	6.85	64%	Fireslide	✓	† ✓	✗	✗	Hearth	621 x 522 x 235mm
Trueflame Full Depth Convector Half Trim	Gas	1.3	4.0	2.7	6.85	64%	Fireslide	✓	† ✓	✗	✗	Hearth	610 x 500 x 235mm
Excelsior Full Depth Convector	Gas	1.3	4.0	2.7	6.85	64%	Fireslide	✓	† ✓	✗	✗	Hearth	636 x 518 x 235mm
Masquerade Full Depth Convector	Gas	1.3	4.0	2.7	6.85	64%	Fireslide	✓	† ✓	✗	✗	Hearth	636 x 518 x 235mm
Excelsior Slimline Convector	Gas	1.35	3.3	2.7	6.0	61%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 135mm
Masquerade Slimline Convector	Gas	1.35	3.3	2.7	6.0	61%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 135mm
Airflame Convector Manual	Gas	2.4	3.7	4.8	6.95	59%	Manual Control	✓	† ✓	✗	✗	Hearth	600 x 522 x 254mm
Airflame Convector Remote	Gas	1.85	3.7	3.2	6.95	59%	Remote Control	✓	† ✓	✗	✗	Hearth	600 x 522 x 254mm
Bauhaus Airflame Convector Manual	Gas	2.4	3.7	4.8	6.95	59%	Manual Control	✓	† ✓	✗	✗	Hearth	608 x 525 x 254mm
Bauhaus Airflame Convector Remote	Gas	1.85	3.7	3.2	6.95	59%	Remote Control	✓	† ✓	✗	✗	Hearth	608 x 525 x 254mm
Bramford Airflame Convector Manual	Gas	2.4	3.7	4.8	6.95	59%	Manual Control	✓	† ✓	✗	✗	Hearth	608 x 525 x 254mm
Bramford Airflame Convector Remote	Gas	1.85	3.7	3.2	6.95	59%	Remote Control	✓	† ✓	✗	✗	Hearth	608 x 525 x 254mm
Blakely Airflame Convector	Gas	1.85	3.7	3.2	6.95	59%	Remote Control	✓	† ✓	✗	✗	Hearth	638 x 580 x 254mm
Bloomsbury Airflame Convector	Gas	1.85	3.7	3.2	6.95	59%	Remote Control	✓	† ✓	✗	✗	Hearth	740 x 632 x 254mm
Blakely Landscape	Gas	1.4	4.3	2.0	5.7	84%	Remote Control	✓	✗	✗	✗	Hearth	680 x 930 x 312mm
Excelsior Balanced Flue >	Gas	1.1	2.8	1.5	3.65	84%	Top Control	✗	✗	✗	✓	Hearth	636 x 518 x 110mm
Masquerade Balanced Flue >	Gas	1.1	2.8	1.5	3.65	84%	Top Control	✗	✗	✗	✓	Hearth	636 x 518 x 110mm
Brunswick Gas Stove	Gas	1.6	4.0	2.3	5.5	81%	Manual Control	✓	✗	✗	✗	Hearth	630 x 390 x 440mm
Ridlington Gas Stove Manual	Gas	1.6	4.7	2.3	6.85	77%	Manual Control	✓	✗	✗	✗	Hearth	650 x 530 x 415mm
Ridlington Gas Stove Remote	Gas	2.3	4.7	3.5	6.85	77%	Remote Control	✓	✗	✗	✗	Hearth	650 x 530 x 415mm
Helmsley Radiant	Gas	1.0	4.0	1.57	5.5	81%	Top Electronic Control	✓	✓	✓	✗	Hearth & WM	630 x 657 x 225mm
Alton Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	612 x 505 z 70mm
Bauhaus Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	612 x 505 z 70mm
Clifton Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	612 x 505 z 70mm
Excelsior Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	636 x 518 x 70mm
Masquerade Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	636 x 518 x 70mm
Petrus Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	636 x 518 x 70mm

*Engine Depth

Important notice: All dimensions stated within the specification table are intended as guidance only. Please consult installation instructions before commencing any building work. The right to change specification without prior notice is reserved. No liability is accepted for problems caused by poor installation or misuse of product.

Please note: Due to the unique cast plating process, we cannot guarantee an exact colour match to product viewed in showrooms, online and printed literature.

Key to Technical Table

Hearth & WM Can be hearth or wall mounted - ashpan is not separate

Hearth Can be hearth or wall mounted. If wall mounted the fire would require a small plinth to support the fret/ashpan which is not attached to the main fire.


NB: Please note that the fires which are highlighted as 'Hearth' are intended for floor level installation with a back panel and hearth. If raised some of the inner workings of the fire may become more visible than intended.

† These fires are suitable for most pre-fabricated flues dependent on the flue depth and diameter. Please refer to the installation instructions to ensure that this fire is compatible.

> Inset balanced flue fires can be installed inset/semi-inset into the wall cavity with the 3" spacer, or flat against the wall with the 5" spacer.

Note: Due to the sheer number of varying flue boxes and pre-cast flues it is not possible to advise on which fires are suitable until the existing fire has been removed. If the width at the rear of the pre-cast flue starter blocks is less than 300mm wide the minimum depth of the opening will be not less than 154mm.

Key to Dimensions



Quality



All our electric fires are BEAB approved. The mark of the British Electrotechnical Approvals Board signifies that the appliance bearing it has been produced to the stringent safety requirements for domestic electrical appliance as laid down in BSEN60335



All our products carry the CE Mark complying with European Safety Standards



Our products are made in accordance with Quality Management System Standard ISO 9001



WEEE Producer Registration Number WEE/GE0057TS
WEEE Distributor Take Back Scheme - Registration ID: 6131

Terms & Conditions

Valor's policy is one of continual improvement and development. The right to change specification without prior notice is reserved, therefore the actual product may change and so the image shown may not be an exact representation. All images within the brochure were correct at time of print. Reproduction of colours is as accurate as photographic processes will allow.

Though accurate at the time of printing, this brochure is not intended to replace the installation manual which provides more detailed information. The statutory rights of the consumer are not affected.



Exclusively for you

 **valor**centre



Valor is a Glen Dimplex Heating & Ventilation Brand
Millbrook House, Grange Drive, Hedge End, Southampton SO30 2DF

tel: 0844 879 35 88

Calls cost 7p per minute plus your telephone company's network access charge (correct at time of printing)

email: customer.services@valor.co.uk website: www.valor.co.uk  [@ValorFires](https://twitter.com/ValorFires)  [Valor Fires](https://www.facebook.com/ValorFires)

V00046 0717